

NASA TECHNICAL MEMORANDUM

NASA TM-78233

(NASA-TM-78233) SURFACE TO 90 km WINDS FOR
KENNEDY SPACE CENTER, FLORIDA, AND
VANDENBERG AFB, CALIFORNIA (NASA) 63 p
HC A04/MF A01

N79-28847

CSCL 04B

Unclas


G3/47 29383

SURFACE TO 90 km WINDS FOR KENNEDY SPACE CENTER,
FLORIDA, AND VANDENBERG AFB, CALIFORNIA

By D. L. Johnson and S. C. Brown
Space Sciences Laboratory

July 1979

NASA



*George C. Marshall Space Flight Center
Marshall Space Flight Center, Alabama*

TABLE OF CONTENTS

	Page
INTRODUCTION	1
DATA USED	2
DATA PRESENTED	3
CONCLUSIONS	5
REFERENCES	54

~~CONFIDENTIAL~~ ~~SECRET~~ ~~NOT FOR PUBLICATION~~

LIST OF ILLUSTRATIONS

Figure	Table	Page
1.1.	KSC bivariate normal wind statistics, 90 degree flight azimuth (January)	7
1.2.	KSC bivariate normal wind statistics, 90 degree flight azimuth (February)	9
1.3.	KSC bivariate normal wind statistics, 90 degree flight azimuth (March)	11
1.4.	KSC bivariate normal wind statistics, 90 degree flight azimuth (April)	13
1.5.	KSC bivariate normal wind statistics, 90 degree flight azimuth (May)	15
1.6.	KSC bivariate normal wind statistics, 90 degree flight azimuth (June)	17
1.7.	KSC bivariate normal wind statistics, 90 degree flight azimuth (July)	19
1.8.	KSC bivariate normal wind statistics, 90 degree flight azimuth (August)	21
1.9.	KSC bivariate normal wind statistics, 90 degree flight azimuth (September)	23
1.10.	KSC bivariate normal wind statistics, 90 degree flight azimuth (October)	25
1.11.	KSC bivariate normal wind statistics, 90 degree flight azimuth (November)	27
1.12.	KSC bivariate normal wind statistics, 90 degree flight azimuth (December)	29

LIST OF ILLUSTRATIONS (Concluded)

Figure	Title	Page
2.1.	VAFB bivariate normal wind statistics, 90 degree flight azimuth (January)	31
2.2.	VAFB bivariate normal wind statistics, 90 degree flight azimuth (February)	33
2.3.	VAFB bivariate normal wind statistics, 90 degree flight azimuth (March)	35
2.4.	VAFB bivariate normal wind statistics, 90 degree flight azimuth (April)	37
2.5.	VAFB bivariate normal wind statistics, 90 degree flight azimuth (May)	39
2.6.	VAFB bivariate normal wind statistics, 90 degree flight azimuth (June)	41
2.7.	VAFB bivariate normal wind statistics, 90 degree flight azimuth (July)	43
2.8.	VAFB bivariate normal wind statistics, 90 degree flight azimuth (August)	45
2.9.	VAFB bivariate normal wind statistics, 90 degree flight azimuth (September)	47
2.10.	VAFB bivariate normal wind statistics, 90 degree flight azimuth (October)	49
2.11.	VAFB bivariate normal wind statistics, 90 degree flight azimuth (November)	51
2.12.	VAFB bivariate normal wind statistics, 90 degree flight azimuth (December)	53

LIST OF TABLES

Table	Title	Page
1.1.	KSC Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (January)	6
1.2.	KSC Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (February)	8
1.3.	KSC Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (March)	10
1.4.	KSC Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (April)	12
1.5.	KSC Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (May)	14
1.6.	KSC Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (June)	16
1.7.	KSC Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (July)	18
1.8.	KSC Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (August)	20
1.9.	KSC Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (September)	22
1.10.	KSC Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (October)	24
1.11.	KSC Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (November)	26
1.12.	KSC Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (December)	28

LIST OF TABLES (Concluded)

Table	Title	Page
2.1.	VAFB Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (January)	30
2.2.	VAFB Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (February)	32
2.3.	VAFB Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (March)	34
2.4.	VAFB Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (April)	36
2.5.	VAFB Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (May)	38
2.6.	VAFB Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (June)	40
2.7.	VAFB Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (July)	42
2.8.	VAFB Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (August)	44
2.9.	VAFB Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (September)	46
2.10.	VAFB Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (October)	48
2.11.	VAFB Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (November)	50
2.12.	VAFB Bivariate Normal Wind Statistics, 90 Degree Flight Azimuth (December)	52

TECHNICAL MEMORANDUM*

SURFACE TO 90 km WINDS FOR KENNEDY SPACE CENTER, FLORIDA, AND VANDENBERG AFB, CALIFORNIA

INTRODUCTION

This document updates two previously published documents [1,2] and presents empirical, bivariate normal (Gaussian) wind component statistics for Kennedy Space Center (KSC), Florida, and Vandenberg AFB (VAFB), California, for altitudes 0 through 90 km. The bivariate normal statistics for all months, January through December, for the 90 degree flight azimuth are given in tabular form as well as presented in figures. The normal distribution was not applied to the annual reference period since this is a heterogeneous sample and should not be represented by a univariate statistical model.

The standard meteorological notation for this 90 degree flight azimuth defines u as the zonal wind component (+ from west) and v as the meridional wind component (+ from south). The sample estimates of the theoretical mean μ are \bar{u} and \bar{v} . The sample estimates of the theoretical standard deviation σ of the zonal and meridional wind components are $S(u)$ and $S(v)$, respectively. $R(uv)$ is the sample estimate of the theoretical correlation coefficient between u and v , while N is the sample size. The five statistics \bar{u} , \bar{v} , $S(u)$, $S(v)$, and $R(uv)$ completely define a bivariate normal elliptical distribution. From these five parameters the probability distributions described by Smith [3] and the statistics for any rotation of the orthogonal axes through any arbitrary angle α , presented by Falls and Crutcher [4], can be computed. This interest is motivated from an application of wind component statistics with respect to any flight azimuth of an aerospace vehicle. Because of this important application, the necessary expressions for this operation, given in Reference 4, are repeated here. Presented are the final rotational equations for the means, variances, and correlation coefficients:

- 1) Rotation of the means through α degrees:

$$\bar{u}_{\alpha} = \bar{u} \cos (90 - \alpha) + \bar{v} \sin (90 - \alpha)$$

$$\bar{v}_{\alpha} = \bar{v} \cos (90 - \alpha) - \bar{u} \sin (90 - \alpha)$$

* This document supersedes TMX-64771 [1] and TMX-64897 [2] and should be used in place of them.

- 2) Rotation of the variances through α degrees:

$$S(u)_{\alpha}^2 = S(u)^2 \cos^2 (90 - \alpha) + S(v)^2 \sin^2 (90 - \alpha) \\ + 2R(uv)S(u)S(v) \cos (90 - \alpha) \sin (90 - \alpha)$$

$$S(v)_{\alpha}^2 = S(v)^2 \cos^2 (90 - \alpha) + S(u)^2 \sin^2 (90 - \alpha) \\ - 2R(uv)S(u)S(v) \cos (90 - \alpha) \sin (90 - \alpha) .$$

- 3) Rotation of the linear correlation coefficient $R(uv)$ through α degrees:

$$R(uv)_{\alpha} = \frac{S(uv)_{\alpha}}{S(u)_{\alpha} S(v)_{\alpha}}$$

where $S(uv)_{\alpha}$ is the rotated covariance expressed as:

$$S(uv)_{\alpha} = S(uv) [\cos^2 (90 - \alpha) - \sin^2 (90 - \alpha) \\ + \cos (90 - \alpha) \sin (90 - \alpha) (S(v)^2 - S(u)^2)]$$

and

$$S(uv) = R(uv)S(u)S(v) .$$

By using these rotational equations, the bivariate normal distribution with respect to any desired rotated coordinates can be obtained from sample estimates that have been computed with respect to a specific axis. The marginal distributions after rotation are also normally (univariate) distributed. By using the rotational equations, computational efforts are greatly reduced for applications requiring statistics with respect to several coordinate axes.

DATA USED

This report updates the empirical wind data samples previously used from 0-27 and 28-70 km altitude regions for KSC and VAFB, with the data presented being extended to 90 km altitude. Both 0-27 km data samples used serially complete data with 13 880 observations (N) extending over a 19-year

period (January 1956 through December 1974) available at all 28 altitude levels for KSC, and $N = 7\,304$ observations from January 1965 through December 1974 for VAFB. The serially complete data are obtained from twice daily radiosonde balloon releases at each site, with the exception of KSC releases between January 1962 and December 1966 when four daily soundings were obtained.

An 8-year (1969-1976) rocketsonde data sample, consisting of nonserially complete wind observations that decrease in number versus altitude, was used between 28 and 90 km for both sites. The number of rocket wind observations varied with month and especially with altitude. These data are presented up to 90 km altitude if more than two observations were available. Point Mugu, California, rocketsonde data were used for the Vandenberg 28 to 90 km statistics because it was the closest rocketsonde observational site to VAFB.

All wind data used in this study were originally recorded as vector winds (wind speed and corresponding direction). These vector winds were subsequently resolved into components along the azimuths $\alpha = 90$ degrees and $\alpha = 360$ degrees (true north).

Over the last 10 years the Meteorological Rocket Network (MRN) ranges have been measuring the upper atmosphere with instrumentation sent aloft by more powerful meteorological rockets, such as the Super Loki System. This allows for the measurement of the atmospheric properties in excess of 90 km altitude, which is far above the previously limiting altitude of approximately 60 km that had been attained by conventional Arcas and Loki type MRN rocket systems in the earlier days of high-altitude atmospheric data gathering. One item that the new MRN data show is that the altitude of maximum wind speed is a little higher than previously thought. The early MRN data seemed to indicate the altitude of max wind speed (above the jet-stream winds) band to be located between 55 and 60 km altitude, since observations were limited, and questionable, above the 60 km level at that time. The newer rocket wind data sample for these two sites indicates the peak to be located between the 62 and 65 km level for most months of the year. This is another reason for updating the winds-aloft information for the two sites.

DATA PRESENTED

From previous studies [1,2] it has been determined that the normal distribution provides a reasonable and adequate model for fitting surface and aloft wind components at KSC and VAFB locations. This bivariate normality

assumption is used in this report. The reader should consult these two references for more information on the type of normality statistical testing done.

The bivariate normal statistics for all months are presented in Tables 1.1 through 1.12 for KSC and in Tables 2.1 through 2.12 for VAFB. They are given for a 90-degree flight azimuth ($\alpha = 90$ degrees), which is the standard meteorological notation that defines u as the zonal wind component (head-tail wind) and v as the meridional wind component (crosswind), where a positive (+) u indicates a wind from the west and a positive (+) v indicates a wind from the south. The wind components presented in this report are given in units of meters per second. Even though small wind data samples exist in the 70 to 90 km altitude interval, all the rocketsonde wind data are presented here, if more than two observations were available.

The monthly bivariate normal statistics are also plotted versus altitude in Figures 1.1 through 1.12 and Figures 2.1 through 2.12 for the KSC and VAFB locations, respectively. The figures associated with the proper tables are printed on successive pages in this report. The reader may notice the erratic, unrealistic behavior of the parameters [especially $R(uv)$] from time to time at these higher altitudes due to the low number of observations used. Erratic jumps, or spikes, noted in the figures between 27 and 28 km are due to the large decrease in data sample size (radiosonde to rocketsonde) that occurs at this level.

At mid-latitudes in the northern hemisphere easterly winds prevail throughout the upper stratosphere and mesosphere during the summer months, while westerly winds dominate the winter months [5,6]. This seasonal upper level circulation pattern change is the result of the changing thermal structure of the upper atmosphere, which establishes an anticyclone over the northern hemispheric summer pole and cyclonic flow around its winter pole. The transition months of approximately April and September may exhibit a slightly differing and somewhat erratic structure of rocket measured winds because this is a time of the winter westerly's changing over into the summer easterly regime (or vice-versa) at these altitudes. A typical winter to summer change-over in the upper-level wind field at KSC is shown and discussed in Reference 7. Using the five parameters at azimuth $\alpha = 90$ degrees, the statistics for any rotation of axes of the bivariate normal surface may be obtained [4].

CONCLUSIONS

Care must be exercised in deciding which is a "best" model for a random variable. The question is not "Do the data come from some specified distribution?" because one can never be sure they do; but rather "Is some specified distribution a reasonable model for the description of the data?" If the physical constraints for the random variable are satisfied by a hypothetical distribution and after repeated sampling of this random variable it is found that the hypothetical distribution cannot be rejected by an appropriate statistical test, then one may reach the conclusion that this hypothetical distribution is an adequate model for the random variable under investigation.

Wind velocity components are variables that are unbounded at both ends. This constraint is satisfied by the normal distribution whose domain is from minus infinity to plus infinity. The use of the Gaussian model has a number of advantages. For example, if the wind components u and v are normally distributed, the scalar wind,

$$w = (u^2 + v^2)^{1/2} ,$$

has a noncentral chi distribution. From a theoretical point of view, this property of the normal distribution illustrates one of its many advantages as a statistical model to represent random variables.

Winds-aloft information is presented in this report from 0 through 90 km altitude. Bivariate normal wind statistics involving wind probability distributions and statistics for any rotation of axes can be computed from the five given statistical parameters, \bar{u} , \bar{v} , $S(u)$, $S(v)$, and $R(uv)$ for a 90-degree flight azimuth, because it had been previously determined that the normal distribution provides an adequate model for wind components at KSC and VAFB.

Bivariate normal wind statistics are also available from 0 to 27 km altitude for the Edwards AFB/NASA-Dryden Flight Research Center, California, as presented in Reference 8. The 28 to 90 km altitude Vandenberg AFB wind statistics given in this report can be used for the >27-km altitude region at Edwards AFB.

TABLE 1.1. KSC BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

January

Alt (km)	U	V	S(u)	S(v)	R(uv)	N
0	40	-66	2 90	3 35	-2470	1170
1	2 51	1 09	6 74	6 21	-0090	1170
2	6 52	1 20	6 92	6 21	-0040	1170
3	10 13	1 41	7 36	6 96	-0455	1170
4	13 59	1 01	8 19	7 62	-0946	1170
5	17 13	2 25	9 17	8 42	-1367	1170
6	20 56	2 04	10 00	9 20	-1730	1170
7	23 09	3 42	11 31	10 49	-2202	1170
8	27 16	3 72	12 39	11 44	-2571	1170
9	30 30	3 95	13 77	12 31	-2020	1170
10	33 99	4 26	15 23	13 09	-3266	1170
11	37 43	4 43	16 16	14 00	-3232	1170
12	40 00	4 60	15 49	13 99	-3250	1170
13	40 39	4 56	17 05	12 27	-3069	1170
14	38 50	4 57	12 52	10 53	-3043	1170
15	34 39	3 04	10 97	9 55	-2904	1170
16	29 31	3 52	9 59	8 34	-2602	1170
17	23 53	2 70	8 70	7 33	-2473	1170
18	17 61	1 93	7 96	5 79	-2093	1170
19	12 20	1 21	7 39	4 53	-2096	1170
20	6 39	72	6 05	3 05	-2915	1170
21	6 26	43	6 99	2 65	-2243	1170
22	5 24	37	7 46	3 77	-2612	1170
23	4 76	46	7 99	2 92	-2701	1170
24	4 01	44	8 75	3 93	-2822	1170
25	5 55	49	9 34	4 26	-2392	1170
26	6 64	66	10 87	4 63	-2940	1170
27	7 10	1 11	12 17	5 32	-1902	1170
28	7 31	1 51	10 42	4 94	-0251	110
29	8 75	2 16	10 75	5 05	-0477	111
30	10 65	2 54	11 54	6 20	-0000	112
31	12 30	3 01	12 49	6 25	-0379	113
32	15 32	3 12	13 45	6 01	-0413	113
33	17 36	3 00	14 09	7 26	-0719	114
34	18 77	1 91	15 00	7 73	-0993	116
35	18 60	52	15 66	7 90	-0454	114
36	16 92	05	15 95	8 39	-0234	113
37	15 09	77	16 03	9 36	-0426	116
38	15 99	1 06	17 05	9 32	-1130	116
39	15 05	2 01	16 79	9 05	-2022	117
40	15 17	2 01	17 62	8 71	-2300	121
41	14 14	3 46	18 94	9 40	-1030	119
42	13 46	4 14	19 51	10 90	-0903	120
43	13 14	5 00	19 00	11 54	-0001	115
44	11 92	9 10	20 24	12 22	-1250	119
45	11 29	10 07	20 44	12 30	-1060	119
46	10 93	9 60	20 96	13 10	-1240	122
47	11 01	9 12	21 63	12 72	-1926	110
48	11 50	9 10	22 66	12 05	-1302	110
49	12 96	9 14	22 74	13 09	-0699	112
50	14 26	9 33	22 62	14 61	-1061	115
51	15 06	10 28	22 43	15 12	-0050	117
52	16 03	8 43	22 52	15 50	-0635	112
53	18 10	0 47	22 24	14 70	-1002	109
54	19 71	9 01	22 67	14 90	-1170	103
55	22 55	11 36	23 50	15 9	-0054	90
56	24 04	10 96	24 03	15 34	-0079	94
57	30 42	12 12	24 31	14 35	-1306	92
58	34 60	14 03	22 04	13 33	-2026	87
59	37 27	15 40	21 99	13 00	-2229	75
60	42 26	14 66	22 64	14 11	-3305	61
61	46 13	14 21	21 92	13 31	-3324	53
62	51 54	12 11	22 14	15 60	-3410	46
63	54 53	9 80	24 03	16 65	-2660	36
64	54 10	5 49	27 16	16 96	-2344	39
65	50 26	77	20 03	17 03	-4064	35
66	57 62	-1 91	31 17	10 36	-2001	34
67	59 16	-5 13	32 30	17 51	-3360	31
68	55 06	-10 73	32 91	10 93	-1300	33
69	56 12	-16 10	36 02	20 22	-0107	34
70	54 76	-19 06	40 20	21 12	-0343	34
71	49 00	-32 62	40 67	21 06	-0070	34
72	41 63	-21 57	39 07	22 67	-0053	30
73	42 19	-17 01	35 60	25 20	-1150	26
74	39 67	-13 96	37 27	27 34	-0566	24
75	35 05	-10 95	35 30	26 30	-2314	20
76	33 37	-8 42	36 35	25 42	-2020	19
77	30 60	1 33	36 72	24 43	-4423	19
78	29 74	0 26	36 41	24 70	-3069	19
79	30 63	14 32	34 07	24 07	-3904	19
80	31 20	19 03	33 00	24 00	-3012	10
81	33 90	23 70	32 05	25 16	-3651	10
82	36 41	26 67	32 70	25 76	-3390	10
83	37 94	20 13	34 44	27 03	-3303	16
84	30 47	26 00	33 91	27 31	-1954	15
85	37 67	20 32	34 66	30 05	-0102	12
86	44 07	29 00	30 96	30 23	-1979	0
87	26 20	41 20	27 17	32 04	-6130	5
88	25 40	43 60	27 02	34 64	-6060	5
89	24 60	44 40	26 40	33 77	-6246	5
90	22 20	42 00	24 36	30 11	-5591	5




Figure 1.1. KSC bivariate normal wind statistics, 90 degree flight azimuth.

Table 1.2. KSC BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

February

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	65	-21	3 20	3 60	-2615	1074
1	3 70	1 42	7 17	6 80	-0277	1074
2	7 88	1 40	7 74	6 82	0003	1074
3	11 70	1 60	0 20	7 40	0437	1074
4	15 21	2 10	9 11	8 10	0330	1074
5	18 97	2 49	10 16	8 98	0501	1074
6	22 95	2 90	11 14	9 62	1124	1074
7	26 50	3 31	12 43	10 40	1653	1074
8	30 23	3 40	13 80	11 34	1991	1074
9	34 24	3 50	15 38	12 64	2140	1074
10	38 18	3 39	16 45	13 09	2159	1074
11	42 13	3 32	17 08	14 31	2201	1074
12	44 84	3 49	16 53	14 36	2267	1074
13	44 76	3 52	15 06	12 85	2863	1074
14	41 65	3 33	13 08	11 05	2759	1074
15	36 73	2 90	11 45	9 70	2060	1074
16	31 59	2 60	10 27	8 25	1405	1074
17	25 36	1 94	9 20	7 04	1429	1074
18	18 78	1 41	8 49	5 67	2370	1074
19	12 77	95	7 84	4 52	2280	1074
20	7 85	63	7 40	3 89	2540	1074
21	5 21	18	7 26	4 23	2321	1074
22	4 04	-14	7 66	4 11	2344	1074
23	3 47	-02	7 87	4 10	2736	1074
24	3 65	05	8 27	3 89	2797	1074
25	3 40	-02	9 15	3 85	3470	1074
26	4 48	11	9 82	4 09	3675	1074
27	5 14	35	10 57	4 13	2259	1074
28	9 08	3 22	9 48	4 85	2951	79
29	10 70	3 67	9 42	5 67	2540	79
30	12 53	4 10	9 91	6 03	3232	77
31	14 63	4 15	10 65	6 80	3540	81
32	16 83	3 73	11 72	6 39	3957	81
33	18 41	2 85	12 90	6 36	3947	81
34	18 41	1 51	13 55	6 31	3675	81
35	17 61	30	14 31	6 10	3274	85
36	16 64	-96	14 59	6 74	2480	83
37	15 13	-45	15 13	7 87	2802	87
38	14 47	23	15 83	7 59	2648	87
39	13 94	18	16 79	8 00	1863	88
40	12 71	94	18 33	8 39	1776	87
41	11 60	2 74	18 69	7 60	0952	88
42	11 82	3 63	18 82	7 55	0531	89
43	13 25	5 08	18 76	8 96	1419	89
44	13 86	5 74	18 75	9 34	1513	86
45	14 87	6 27	19 63	10 11	1180	88
46	16 49	7 30	20 52	10 80	1161	90
47	18 46	8 75	20 73	10 76	0906	89
48	18 87	8 83	21 28	11 22	0649	89
49	19 98	9 23	21 02	11 23	0061	88
50	21 35	8 57	21 48	12 30	0205	88
51	22 91	9 72	21 19	12 61	1194	85
52	25 42	9 51	21 33	12 36	0854	84
53	28 18	9 16	20 59	12 27	1107	82
54	30 62	8 97	19 63	13 02	1702	82
55	34 27	11 12	18 00	13 33	1582	82
56	38 00	12 25	18 41	13 41	1751	80
57	41 51	13 97	18 57	12 58	1623	79
58	45 50	15 42	17 90	11 80	2153	66
59	48 06	16 24	18 17	12 11	2007	63
60	49 71	15 19	18 65	12 01	0992	59
61	54 11	14 82	18 05	11 80	2973	44
62	57 36	13 09	19 38	11 85	2644	33
63	58 44	10 28	18 68	11 33	-0387	32
64	60 36	6 82	15 37	10 89	-0402	28
65	59 89	3 50	15 01	11 49	-0436	28
66	60 07	-24	15 83	12 08	-0695	27
67	60 64	-5 68	15 12	13 12	-2037	25
68	59 52	-5 70	16 42	9 90	-0087	23
69	56 48	-8 22	16 75	11 44	1063	23
70	50 52	-12 81	18 49	13 25	0056	21
71	42 76	-14 81	19 21	13 63	1244	21
72	37 11	-15 58	20 49	13 01	3917	19
73	30 11	-11 11	21 77	12 99	4381	19
74	24 20	-8 55	23 79	13 37	1233	20
75	19 25	-5 76	22 79	16 99	-0194	20
76	13 78	-28	21 72	19 80	1905	18
77	11 94	5 87	20 09	22 48	2601	16
78	8 31	10 81	20 44	23 17	3862	16
79	6 75	15 69	20 60	22 81	4347	16
80	6 37	18 87	20 72	22 49	4223	16
81	5 81	21 56	21 39	22 65	3534	16
82	5 37	23 12	22 95	23 44	2424	16
83	6 53	26 47	25 31	22 52	-0292	15
84	4 93	25 43	29 40	25 08	-0659	14
85	5 27	30 06	30 65	27 99	-1226	11
86	8 20	25 20	12 45	27 20	8446	5




Figure 1.2. KSC bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 1.3. KSC BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

March

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	.09	14	3.24	3.39	1012	1170
1	3.13	1.64	7.00	6.26	0120	1170
2	7.10	1.31	7.43	6.19	0401	1170
3	10.51	1.10	8.42	6.30	0828	1170
4	14.00	.85	9.30	7.26	0042	1170
5	17.71	.75	10.32	7.79	1530	1170
6	21.50	.91	11.27	8.32	1945	1170
7	25.15	1.12	12.30	9.44	2265	1170
8	28.67	1.16	13.35	10.25	2321	1170
9	32.40	.90	14.60	11.70	2076	1170
10	36.29	.75	15.92	13.21	1802	1170
11	40.13	.43	16.41	14.75	1707	1170
12	43.15	.51	15.67	14.40	2021	1170
13	43.49	.90	13.85	12.71	2070	1170
14	40.29	.90	12.32	10.28	1610	1170
15	35.35	1.07	10.69	8.95	1354	1170
16	29.74	.80	9.29	7.70	0869	1170
17	23.48	.90	8.49	6.70	0509	1170
18	16.87	.74	7.72	5.56	1034	1170
19	10.55	.52	6.79	4.32	1170	1170
20	6.17	.24	6.32	3.89	0998	1170
21	3.30	- .13	5.92	3.58	0642	1170
22	1.06	- .27	6.01	3.63	0671	1170
23	.83	- .51	6.08	3.56	0771	1170
24	.59	- .60	6.44	3.61	1013	1170
25	.90	- .83	7.14	3.41	1206	1170
26	1.73	- .83	7.89	3.35	1135	1170
27	2.45	- .60	9.01	3.64	1057	1170
28	6.01	1.59	8.20	3.38	3503	92
29	8.03	1.67	8.84	3.41	2966	93
30	10.37	2.15	9.30	3.78	3574	91
31	12.44	2.33	9.73	3.87	4719	96
32	14.24	2.19	10.40	4.1	4034	97
33	15.87	1.56	11.83	4.95	4360	96
34	16.93	.30	13.08	5.08	2604	96
35	15.92	- .94	13.89	5.31	1167	95
36	13.96	- 1.64	14.25	5.48	0197	95
37	12.30	- .98	14.18	5.04	0349	94
38	11.56	- .06	13.81	5.47	1910	94
39	11.77	.96	15.08	6.26	3592	95
40	12.02	1.96	16.12	6.59	3252	90
41	12.27	2.42	17.14	6.35	3006	97
42	12.89	3.08	17.97	7.13	2792	97
43	13.93	2.93	19.00	7.15	1695	100
44	13.65	3.41	18.75	7.26	0340	101
45	14.53	4.04	19.94	7.47	0044	100
46	15.48	5.29	20.25	8.42	0195	104
47	16.45	5.83	20.31	7.68	0396	102
48	18.00	7.00	20.25	7.22	0898	102
49	20.19	7.77	19.71	7.38	0490	100
50	21.65	7.76	20.20	7.94	1261	101
51	22.80	7.10	20.54	7.94	- 0039	90
52	24.52	7.89	20.15	9.23	0116	96
53	26.23	7.86	20.43	9.54	- 0663	96
54	26.61	8.28	19.90	9.82	- 0586	92
55	28.53	9.00	20.64	9.30	0415	91
56	29.22	9.73	20.38	9.31	0882	86
57	30.34	9.64	20.36	9.28	1276	80
58	31.70	10.34	20.92	9.53	1674	76
59	32.74	11.82	20.65	9.92	1847	65
60	35.64	12.33	20.40	12.00	1205	55
61	37.02	10.70	21.67	13.56	1035	44
62	35.66	9.82	21.03	13.47	0116	38
63	36.77	10.00	24.53	13.05	1209	31
64	34.22	8.07	23.62	12.74	1602	27
65	34.92	6.49	22.57	11.96	0796	26
66	31.45	4.59	22.45	9.41	1083	22
67	30.12	.00	19.75	10.80	1029	17
68	27.24	.66	20.81	13.37	0820	17
69	23.11	- 1.60	21.40	15.15	0351	19
70	20.11	- 2.32	20.78	16.42	0043	19
71	16.44	- 6.67	20.71	17.98	0645	10
72	9.79	- 6.37	20.93	16.53	0828	19
73	4.94	- 6.47	21.27	16.56	0023	17
74	3.50	- 4.19	21.36	18.09	1967	16
75	- 5.29	- 4.79	17.21	17.21	- 0579	14
76	- 9.62	- .54	16.11	16.61	- 0662	13
77	- 13.54	2.54	15.23	17.13	- 0170	13
78	- 16.46	6.54	14.23	18.22	0147	13
79	- 17.75	7.50	13.66	15.52	1068	10
80	- 18.15	15.92	12.70	21.08	2704	13
81	- 17.25	21.75	13.98	22.65	4290	12
82	- 13.27	25.73	16.72	24.40	6250	11
83	- 11.70	23.80	20.13	19.64	6615	10
84	- 8.36	27.27	23.42	19.41	5913	11
85	- 5.40	26.90	29.52	20.47	3857	10
86	- 5.20	23.20	14.36	17.13	2710	5
87	- 6.00	24.00	13.27	17.66	8979	3




Figure 1.3. KSC bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 1.4. KSC BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

April

A (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	- 96	51	3 31	3 15	- 1161	1140
1	1 05	1 25	6 72	5 28	0004	1140
2	3 72	36	7 22	5 26	1083	1140
3	6 10	- 50	8 01	5 97	0967	1140
4	8 65	-1 13	8 78	6 63	1598	1140
5	11 21	-1 47	9 69	7 00	2056	1140
6	14 01	-1 72	10 61	7 55	2329	1140
7	16 90	-2 02	11 62	8 45	2646	1140
8	19 80	-2 38	12 77	9 36	2787	1140
9	22 48	-2 81	14 26	10 63	2976	1140
10	25 7	-3 49	15 37	12 23	3102	1140
11	28 98	-4 21	16 35	13 78	3149	1140
12	32 17	-4 73	16 66	14 65	3218	1140
13	34 10	-4 88	15 83	13 84	3351	1140
14	32 18	-4 36	13 92	11 95	3433	1140
15	28 26	-3 41	11 63	9 69	3215	1140
16	23 34	-2 96	9 84	8 31	2881	1140
17	17 50	-2 37	8 79	6 95	2776	1140
18	11 03	-1 88	7 53	5 42	2535	1140
19	5 38	-1 19	6 68	4 32	2510	1140
20	1 73	- 87	5 68	3 90	2005	1140
21	- 40	- 93	4 86	3 22	1770	1140
22	-1 78	- 75	4 60	2 98	1215	1140
23	-2 48	- 69	4 72	2 91	0651	1140
24	-2 56	- 74	5 14	2 96	1319	1140
25	-2 19	- 84	5 73	3 07	1932	1140
26	-1 61	- 80	6 53	3 16	1858	1140
27	- 72	- 78	7 09	3 24	1147	1140
28	2 25	1 47	6 83	3 41	- 0306	91
29	4 01	1 72	7 53	3 78	0481	93
30	4 62	1 51	8 03	4 15	2366	93
31	5 61	1 78	8 93	4 11	3173	97
32	6 69	1 03	9 89	4 37	2917	98
33	7 00	56	11 03	4 39	2544	97
34	7 59	33	11 79	4 91	1666	98
35	7 39	- 95	12 59	4 86	0102	98
36	6 71	-1 01	12 41	4 99	- 0753	97
37	6 30	-1 37	11 97	6 16	- 0897	98
38	5 62	-1 90	11 45	6 43	- 0502	95
39	4 64	- 94	11 57	6 06	0323	100
40	4 51	51	11 14	6 14	1053	101
41	4 61	89	11 17	6 18	1498	103
42	4 87	1 15	10 70	6 48	1095	104
43	4 18	66	11 31	6 67	1886	103
44	3 42	62	11 44	5 92	1942	104
45	2 3	1 91	11 42	6 46	0268	104
46	2	2 81	12 05	6 87	0667	102
47	4 37	3 25	11 95	7 40	1032	102
48	1 96	3 84	12 25	7 16	1033	103
49	2 44	4 97	12 95	7 80	1496	103
50	2 43	4 19	13 58	6 76	0691	102
51	2 32	4 34	14 00	7 02	0318	103
52	1 98	4 45	14 59	7 27	0701	101
53	1 55	4 60	14 52	6 55	0716	102
54	99	4 62	14 27	6 69	0255	96
55	1 23	4 78	14 34	7 31	0137	93
56	64	4 86	13 33	7 51	0754	90
57	58	5 52	13 22	8 24	0316	88
58	77	6 08	13 17	7 92	0809	79
59	1 12	4 96	15 09	8 48	2232	74
60	1 21	4 38	15 90	8 50	1419	66
61	1 88	3 78	15 34	8 04	0765	58
62	3 44	5 89	15 75	7 86	- 0953	45
63	4 85	7 38	15 84	8 57	0133	39
64	1 84	6 60	17 29	9 79	0108	35
65	14	3 00	16 26	10 64	0704	33
66	34	- 97	15 62	11 64	0241	32
67	-1 93	-4 27	16 28	11 10	2316	30
68	-5 23	-6 38	17 35	10 76	2089	26
69	-7 73	-7 54	18 22	11 19	- 0838	26
70	-10 63	-7 41	15 85	13 33	- 2024	27
71	-12 28	-8 04	15 25	16 86	- 1388	25
72	-13 22	-7 83	15 60	17 94	- 1107	23
73	-13 83	7 04	18 59	17 43	0965	23
74	-14 06	-6 25	20 45	13 04	0625	16
75	-15 40	-8 67	18 65	15 25	- 0162	15
76	-24 18	-8 00	17 39	18 33	3018	11
77	-27 64	-4 64	19 20	20 40	3257	11
78	-30 73	-2 09	17 08	20 65	2982	11
79	-35 00	-4 30	14 14	19 14	- 1286	10
80	-33 80	- 76	12 94	20 92	- 0653	10
81	-35 00	3 70	13 45	21 64	0656	10
82	- 2 70	9 70	15 26	21 63	2381	10
83	-28 30	16 00	17 59	22 16	3557	10
84	-22 10	21 30	20 24	21 33	4222	10
85	-8 00	28 57	24 83	8 36	5855	7
86	9 75	31 25	33 38	7 82	4292	4




Figure 1.4. KSC bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 1.5. KSC BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

May

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	-1.38	.61	2.95	2.97	-0.608	1170
1	-1.52	1.17	5.29	4.31	-1.159	1170
2	1.00	.21	5.76	4.57	2.750	1170
3	2.33	-.01	6.13	4.81	2.621	1170
4	3.67	-.20	6.71	5.25	2.253	1170
5	5.23	-.42	7.12	5.74	2.299	1170
6	6.90	-.57	7.66	6.54	2.265	1170
7	8.60	-.62	8.37	7.36	2.379	1170
8	10.27	-.57	9.36	8.30	2.129	1170
9	11.99	-.66	10.37	9.63	2.152	1170
10	14.07	-.79	11.73	11.00	2.252	1170
11	16.69	-1.04	12.97	12.60	2.608	1170
12	19.51	-1.64	14.21	13.88	2.787	1170
13	21.98	-2.83	14.20	13.87	2.861	1170
14	20.99	-3.25	12.51	11.98	3.034	1170
15	17.79	-3.34	10.29	9.42	3.446	1170
16	13.30	-3.04	8.51	7.35	3.307	1170
17	8.30	-2.69	7.02	5.82	3.271	1170
18	3.69	-2.02	5.91	4.54	2.636	1170
19	-.04	-1.36	4.79	3.61	2.053	1170
20	-2.60	-1.10	4.30	2.93	1.434	1170
21	-4.51	-.75	4.08	2.66	1.186	1170
22	-5.73	-.62	4.16	2.69	-.0296	1170
23	-6.50	-.44	4.22	2.71	-.0166	1170
24	-6.94	-.40	4.56	2.80	0.234	1170
25	-6.96	-.33	5.00	2.78	0.023	1170
26	-6.88	-.53	5.43	2.84	0.165	1170
27	-6.64	-.48	5.87	2.96	0.072	1170
28	-5.55	-.48	6.12	2.76	1.640	75
29	-5.24	-.16	6.52	2.90	-.0324	75
30	-5.37	-.18	6.75	3.14	-.0019	78
31	-5.35	-.18	7.03	3.49	-.0602	78
32	-5.24	1.13	7.45	3.62	-.0254	78
33	-4.18	1.44	8.09	3.88	0.097	79
34	-3.49	.91	7.69	3.81	0.483	78
35	-3.41	.00	7.68	3.48	1.170	78
36	-4.77	-.65	7.85	3.01	1.355	78
37	-6.47	-1.08	8.08	4.04	-.0704	77
38	-7.46	-.50	7.75	4.35	-.1057	78
39	-7.95	-.16	7.21	4.20	-.1345	77
40	-9.05	.08	6.71	4.32	-.1995	77
41	-10.29	-.15	6.99	4.34	0.281	78
42	-12.65	-.26	7.20	4.80	0.437	78
43	-14.50	.54	6.97	4.77	-.0851	80
44	-16.94	.49	7.04	5.74	0.099	81
45	-18.92	1.92	7.09	5.31	0.444	83
46	-19.81	2.57	7.59	5.39	0.804	83
47	-19.99	3.04	7.88	5.70	0.715	62
48	-20.91	2.52	8.60	5.81	0.862	82
49	-21.98	3.73	9.08	6.12	0.447	81
50	-23.26	4.64	9.19	5.69	-.0315	80
51	-24.44	4.60	9.45	5.75	-.1220	78
52	-25.61	4.77	9.69	6.26	-.0291	77
53	-26.58	5.36	10.12	6.69	0.169	78
54	-26.47	6.42	10.67	7.02	-.0452	79
55	-25.85	6.23	10.21	7.56	-.0769	73
56	-26.30	5.19	10.22	7.36	-.0243	70
57	-26.82	6.01	10.80	7.32	0.448	68
58	-27.08	5.91	10.99	8.96	0.694	64
59	-28.43	5.43	10.75	8.33	0.558	58
60	-29.60	4.62	11.19	7.58	0.496	48
61	-30.45	4.32	11.49	7.79	0.921	40
62	-29.25	3.46	12.04	10.23	0.412	28
63	-28.92	3.50	12.46	11.13	0.352	26
64	-28.73	4.08	12.77	11.36	-.0097	26
65	-31.70	4.13	15.01	9.60	-.0941	23
66	-26.10	6.19	16.95	20.35	4.784	21
67	-29.50	2.10	16.82	19.29	3.948	20
68	-34.79	-2.16	16.27	10.45	-.0958	19
69	-34.12	-8.06	16.22	13.51	2.383	16
70	-38.93	-12.00	18.14	14.67	5.859	15
71	-42.40	-12.40	14.30	15.15	4.448	10
72	-42.20	-7.30	13.99	16.81	4.355	10
73	-39.90	-5.80	15.42	21.25	4.802	10
74	-35.40	2.70	18.54	45.43	5.008	10
75	-32.75	1.00	23.60	42.65	2.961	8
76	-34.75	-1.00	23.67	33.87	0.257	8
77	-40.86	-9.14	23.41	20.05	-.2521	7
78	-26.29	-24.86	15.60	20.38	6.153	7
79	-20.86	-25.57	14.91	21.64	4.884	7
80	-20.57	-23.57	20.68	22.96	4.503	7
81	-19.57	-20.14	27.54	26.56	1.934	7
82	-18.29	-14.43	35.03	31.96	-.0648	7
83	-16.87	-6.75	38.86	35.11	-.2564	8
84	-15.37	-.25	42.13	38.20	-.4373	8
85	-16.29	4.86	45.98	42.11	-.7053	7
86	-9.00	20.67	48.95	45.29	-.9694	6
87	-17.50	45.50	56.06	52.98	-.9629	4
88	-12.50	48.25	54.80	57.49	-.9378	4
89	-22.00	11.00	13.17	12.01	9.620	3
90	-26.33	8.67	17.00	13.11	9.991	3




Figure 1.5. KSC bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 1.6. KSC BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

June

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	- 89	1 01	2 84	2 38	0319	1140
1	35	1 76	5 37	4 05	1202	1140
2	1 33	1 15	5 29	4 37	1420	1140
3	1 91	96	5 28	4 51	1609	1140
4	2 34	79	5 46	4 62	1012	1140
5	2 70	45	5 71	4 69	0993	1140
6	3 09	06	6 04	4 93	1718	1140
7	3 76	- 09	6 64	5 26	2282	1140
8	4 43	- 15	7 34	5 88	2372	1140
9	5 36	- 21	8 48	6 88	2706	1140
10	6 13	- 38	9 78	8 18	2934	1140
11	6 93	- 59	11 08	9 44	3318	1140
12	8 96	-1 36	12 45	10 71	3401	1140
13	8 78	-2 73	13 09	10 86	3254	1140
14	7 88	-4 07	12 22	9 38	2995	1140
15	5 56	-4 81	10 20	7 13	2207	1140
16	2 24	-4 03	7 50	5 32	1735	1140
17	- 98	-2 97	5 55	4 18	1565	90
18	-4 00	-2 06	4 39	3 16	1203	1140
19	-6 49	-1 33	3 85	2 77	-	1140
20	-8 62	-1 07	3 88	2 69	-	1140
21	-10 25	- 74	3 82	2 85	- 088	1140
22	-11 61	- 52	3 70	3 08	- 1095	1140
23	-12 66	- 32	3 91	3 00	- 0540	1140
24	-13 35	- 21	4 19	2 81	- 0618	1140
25	-13 86	- 33	4 49	2 85	- 0842	1140
26	-14 16	- 47	4 73	3 04	- 0764	1140
27	-14 43	- 68	5 11	3 11	- 0827	1140
28	-16 01	- 03	5 07	2 29	0354	90
29	-16 55	25	5 32	2 27	- 0424	88
30	-17 11	87	5 24	2 96	- 0837	91
31	-17 15	1 27	5 50	3 26	- 1467	92
32	-16 75	1 41	5 83	3 35	- 1823	91
33	-16 97	89	5 98	3 76	- 1027	93
34	-17 34	38	6 61	3 57	- 1125	93
35	-18 66	- 49	6 51	3 72	- 2093	91
36	-20 32	- 98	6 15	3 93	- 1745	88
37	-22 26	-1 02	5 79	4 13	- 0921	88
38	-24 49	- 56	5 90	4 45	0559	87
39	-26 62	- 56	5 96	4 31	0226	87
40	-28 60	- 40	5 99	4 69	0544	86
41	-30 57	-1 45	7 11	4 45	0030	88
42	-33 20	-1 41	7 99	4 61	1109	91
43	-36 00	- 98	8 43	5 09	0312	91
44	-38 49	09	8 29	5 42	0311	93
45	-39 77	1 95	8 01	5 24	0482	93
46	-40 85	3 93	7 56	5 49	0013	94
47	-41 24	5 78	7 76	5 97	0717	91
48	-41 07	6 86	8 25	6 53	1253	92
49	-41 02	7 28	8 81	6 35	1105	92
50	-41 02	7 73	9 93	7 09	0379	90
51	-41 73	6 86	9 67	7 27	- 0961	95
52	-42 88	6 43	8 80	7 83	- 0131	94
53	-44 19	5 23	9 11	8 45	- 0497	92
54	-45 68	4 67	9 22	8 76	- 0451	93
55	-47 80	3 76	10 21	9 32	- 0151	89
56	-49 30	3 07	11 59	9 91	- 0017	89
57	-50 66	3 51	12 17	10 49	- 0629	86
58	-51 71	2 71	13 46	10 55	- 0847	79
59	-51 76	2 12	11 84	10 74	- 1917	72
60	-53 18	1 57	11 50	11 16	- 1068	65
61	-56 81	28	13 35	12 37	- 1163	54
62	-59 42	23	15 02	13 30	- 1803	43
63	-59 39	1 84	14 14	15 45	- 0094	38
64	-59 22	2 33	16 04	16 51	1649	36
65	-56 80	3 13	22 54	15 85	2677	30
66	-53 85	31	23 05	17 28	2095	26
67	-53 96	26	20 98	17 83	1777	23
68	-56 06	3 00	21 46	17 43	2485	17
69	-57 42	8 89	17 72	17 98	2889	19
70	-54 79	7 79	19 21	18 70	3891	19
71	-50 67	3 94	16 44	18 35	4269	18
72	-45 89	-1 05	16 72	17 23	5678	19
73	-45 81	-8 94	21 20	15 86	3054	16
74	-37 29	-13 36	19 34	16 17	4002	14
75	-35 08	-20 31	24 54	15 58	1434	13
76	-31 00	-25 27	24 66	16 1*	1847	11
77	-21 70	-28 20	21 72	17 62	0505	10
78	-15 80	-30 20	20 05	18 83	- 1834	10
79	-10 10	-30 40	18 41	19 82	- 2660	10
80	-4 36	-29 27	16 41	21 01	- 2463	11
81	1 36	-26 73	15 22	22 98	- 1987	11
82	7 00	23 09	14 61	24 64	- 1025	11
83	11 82	-18 64	14 38	25 76	- 0104	11
84	16 27	-13 64	14 33	27 28	0102	11
85	18 22	12 00	15 32	27 62	- 1787	9
86	19 33	-2 31	19 60	15 63	9427	3




Figure 1.6. KSC bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 1.7. KSC BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

July

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	- 34	1 53	2 29	1 96	- 1370	1170
1	63	2 74	4 34	3 35	- 0144	1170
2	95	1 94	4 43	3 54	- 0654	1170
3	1 12	1 63	4 61	3 54	- 0995	1170
4	1 11	1 42	4 81	3 79	- 0843	1170
5	88	1 08	4 92	3 95	- 0510	1170
6	52	77	4 95	4 17	- 0431	1170
7	92	39	5 02	4 35	- 0933	1170
8	- 34	- 13	5 56	4 74	- 1759	1170
9	- 82	- 71	6 38	5 46	- 1759	1170
10	-1 19	-1 31	7 35	6 28	- 1699	1170
11	-1 70	-2 01	8 64	7 05	- 1235	1170
12	-2 30	-2 95	9 77	7 64	- 1190	1170
13	-3 01	-4 08	10 30	7 92	- 2031	1170
14	-3 55	-4 57	9 69	7 21	- 2509	1170
15	-4 26	-3 86	6 75	5 63	- 2748	1170
16	-4 86	-2 63	4 92	4 16	- 3044	1170
17	-6 00	-1 74	3 73	3 35	- 2364	1170
18	-8 10	-1 21	3 14	2 97	- 0879	1170
19	-10 44	- 99	3 05	2 71	- 1215	1170
20	-12 88	- 89	3 50	2 59	- 0010	1170
21	-14 97	- 54	3 50	2 90	- 2085	1170
22	-16 50	- 24	3 32	3 35	- 1356	1170
23	-17 60	- 08	3 30	3 24	- 0129	1170
24	-18 62	- 14	3 56	2 98	- 0581	1170
25	-19 34	- 44	3 91	2 94	- 0430	1170
26	-20 00	- 49	4 41	3 21	- 1577	1170
27	-20 41	- 61	4 64	3 94	- 1129	1170
28	-22 01	-1 11	3 21	2 62	- 1234	97
29	-23 34	- 83	3 35	2 80	- 0700	95
30	-24 70	- 07	3 75	3 06	- 2547	94
31	-25 64	1 09	4 46	3 13	- 0744	95
32	-26 25	1 56	4 63	3 56	- 0625	95
33	-26 40	1 13	5 10	3 71	- 0094	100
34	-27 03	61	5 16	3 34	- 0764	95
35	-28 10	48	4 86	3 77	- 1564	95
36	-29 21	19	4 61	3 74	- 0919	101
37	-30 91	24	5 24	4 29	- 0618	104
38	-32 20	35	5 46	4 70	- 0628	102
39	-34 15	14	5 24	4 78	- 0275	104
40	-35 94	04	5 23	4 90	- 0682	103
41	-37 69	- 82	5 82	5 08	- 0481	104
42	-39 93	-1 75	6 07	5 81	- 1918	104
43	-42 22	-1 40	6 20	6 16	- 1917	104
44	-44 58	- 18	5 80	6 99	- 0695	104
45	-48 60	1 66	6 34	7 60	- 1183	107
46	-49 14	3 22	7 69	7 65	- 2902	104
47	-50 39	3 88	7 85	6 69	- 2375	104
48	-51 40	4 10	8 54	6 59	- 2990	105
49	-51 35	4 54	8 57	6 30	- 0453	105
50	-52 11	4 93	8 52	7 40	- 0417	104
51	-52 91	4 97	8 58	7 71	- 0531	103
52	-54 59	5 62	8 19	7 92	- 0735	101
53	-54 51	5 67	9 09	9 44	- 1174	100
54	-54 17	6 33	9 78	10 84	- 0299	101
55	-53 70	6 03	10 47	11 50	- 2275	94
56	-51 89	5 62	11 74	11 45	- 2552	93
57	-51 29	4 13	12 65	11 21	- 2054	87
58	-49 30	3 92	14 23	12 04	- 1667	79
59	-47 97	3 76	15 15	12 32	- 0217	71
60	-46 15	4 98	16 16	13 47	- 0904	62
61	-45 33	4 16	20 90	16 18	- 2517	43
62	-42 28	5 19	24 30	17 57	- 3672	36
63	-37 80	4 30	29 76	17 32	- 3026	30
64	-35 70	5 09	32 20	18 25	- 2689	23
65	-35 62	6 04	31 20	18 07	- 2073	26
66	-35 35	6 57	30 59	20 24	- 2956	23
67	-38 45	13 15	33 24	21 67	- 0476	20
68	-32 53	14 26	27 37	21 18	- 0163	19
69	-28 16	6 16	26 24	22 83	- 0761	19
70	-20 50	-1 20	23 73	20 55	- 1924	18
71	-22 65	-5 71	21 02	18 05	- 2545	17
72	-21 44	-12 37	21 69	21 78	- 3460	16
73	-22 20	-20 33	23 45	24 42	- 4220	15
74	-29 58	-18 17	17 93	25 34	- 2819	12
75	-25 73	-22 73	20 10	29 03	- 3982	11
76	-22 60	-24 40	21 90	29 47	- 4009	10
77	-20 00	-24 00	23 75	30 51	- 4689	9
78	-12 30	-20 70	27 19	29 59	- 3069	10
79	-12 10	-23 90	24 32	27 73	- 6421	10
80	-8 20	-24 40	24 75	27 89	- 7128	10
81	-5 40	-24 90	24 34	28 76	- 7349	10
82	-1 60	-24 40	25 39	28 79	- 7536	10
83	89	-21 22	23 13	29 65	- 7295	9
84	4 44	-18 67	20 62	29 10	- 6736	9
85	8 11	-15 67	17 69	28 62	- 5784	9
86	11 17	-17 67	13 99	27 32	- 0452	6
87	13 25	-23 25	14 10	19 49	- 0866	4
88	12 50	-7 75	10 92	24 35	- 5731	4
89	11 25	1 00	11 01	22 05	- 6428	4
90	8 67	17 33	14 61	25 10	- 5821	3

ORIGINAL PAGE IS
OF POOR QUALITY




Figure 1.7. KSC bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 1.8. KSC BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

August

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	- 62	87	2 10	2 00	- 0157	1170
1	- 14	2 19	4 32	3 65	0074	1170
2	22	1 66	4 40	3 01	1720	1170
3	49	1 40	4 64	3 95	1045	1170
4	70	1 46	4 76	4 94	2099	1170
5	72	1 24	4 95	4 20	2051	1170
6	39	87	5 11	4 41	2475	1170
7	63	55	5 21	4 71	2693	1170
8	- 32	- 01	5 43	5 01	2642	1170
9	- 57	- 47	5 86	5 55	2971	1170
10	- 65	- 90	6 67	6 59	3256	1170
11	- 81	-1 37	7 22	7 49	3333	1170
12	-1 05	-2 03	8 60	8 39	3023	1170
13	-1 33	-2 56	8 79	8 50	4953	1170
14	-1 91	-3 32	7 05	7 30	3284	1170
15	-2 65	-2 56	6 19	5 29	3149	1170
16	-3 01	-1 69	4 93	3 89	2927	1170
17	-5 68	-1 12	3 61	3 23	1707	1170
18	-7 90	- 80	3 10	2 92	0453	1170
19	-10 42	- 69	3 23	2 62	0932	1170
20	-12 97	- 54	3 40	2 40	0411	1170
21	-14 95	- 35	3 46	2 71	- 0920	1170
22	-16 45	- 21	3 33	2 91	- 1250	1170
23	-17 51	- 13	3 40	3 01	0276	1170
24	-18 51	- 11	3 64	2 86	0180	1170
25	-19 36	- 26	3 80	2 93	- 0442	1170
26	-19 83	- 56	4 00	3 63	- 0895	1170
27	-20 47	- 86	4 30	3 20	- 0977	1170
28	-23 27	- 99	3 20	2 67	0229	86
29	-24 11	- 11	4 13	3 00	0676	87
30	-24 92	75	4 77	3 01	0820	88
31	-25 43	1 57	4 96	3 00	- 0931	89
32	-25 25	1 04	4 80	3 18	- 3662	89
33	-25 19	1 31	4 40	3 72	- 2095	89
34	-25 51	85	4 91	3 63	- 0294	89
35	-25 97	25	5 44	3 84	- 1700	87
36	-26 25	33	5 53	4 38	- 1506	89
37	-27 31	22	5 66	4 45	- 1525	89
38	-28 00	29	5 96	4 04	- 1200	89
39	-28 99	57	7 04	5 07	- 0799	91
40	-30 23	111	7 30	5 46	- 0359	91
41	-31 20	- 19	7 95	5 44	- 1904	93
42	-33 70	- 91	8 30	5 60	- 2759	93
43	-35 60	- 54	8 32	5 55	- 1927	93
44	-38 54	- 67	8 21	6 10	- 1506	90
45	-40 20	83	8 30	7 56	- 1015	92
46	-40 63	2 64	9 45	7 90	- 1715	92
47	-40 65	3 53	11 00	8 39	- 1317	94
48	-40 83	5 47	11 90	9 63	- 0391	90
49	-39 53	6 79	13 07	8 10	0364	92
50	-38 00	6 96	14 62	8 43	- 0652	91
51	-37 51	7 30	15 43	9 75	- 2009	91
52	-35 10	6 62	15 00	10 30	- 1644	88
53	-32 33	4 61	14 80	10 89	- 1512	88
54	-30 90	3 71	15 82	10 30	- 0330	87
55	-28 50	3 17	16 16	11 13	0591	88
56	-26 96	2 05	18 40	12 09	0756	85
57	-27 64	3 17	20 16	11 01	0143	76
58	-24 72	4 96	20 56	13 79	- 1422	75
59	-21 62	6 66	18 57	14 80	- 2130	68
60	-17 04	4 59	17 61	14 00	- 0931	56
61	-11 87	2 02	18 42	13 08	- 1160	52
62	-7 56	49	17 75	14 66	- 0515	43
63	-8 24	-1 92	20 82	15 99	0194	37
64	9 29	-2 54	20 10	15 24	0196	35
65	-8 56	-1 62	17 64	16 34	- 1200	34
66	-8 42	-3 39	16 14	15 35	- 1500	33
67	-7 89	-3 33	17 05	16 59	- 2065	27
68	-12 26	-3 70	15 03	15 64	- 3119	23
69	-11 13	- 96	17 35	18 20	- 2070	23
70	-9 45	-5 30	21 17	17 44	- 2713	20
71	-10 44	-2 49	14 07	16 31	- 1530	16
72	-11 36	-4 86	17 31	14 23	- 1405	14
73	-13 50	-12 83	20 20	12 49	- 3369	12
74	-14 55	-13 10	19 01	11 45	- 2130	11
75	-8 50	-14 00	15 36	12 59	3200	10
76	11 11	-17 33	15 74	13 20	3979	9
77	-11 70	-16 09	16 04	14 47	5174	9
78	-12 22	-14 09	16 42	15 26	5176	9
79	-12 56	-12 33	16 05	16 54	4330	9
80	-12 69	-8 11	16 19	17 91	3695	9
81	-12 44	-2 22	17 11	18 30	3433	9
82	-11 33	4 67	18 23	18 95	4495	9
83	-9 67	12 56	20 24	20 14	6191	9
84	-7 11	20 11	22 00	23 00	7160	9
85	-8 13	18 75	21 49	19 50	4849	8
86	-9 75	22 75	26 29	26 94	7954	4




Figure 1.8. KSC bivariate norr. a1 wind statistics, 90 degree flight azimuth.

TABLE 1.3. KSC BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

September

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	-1.58	-12	2.79	2.63	2230	1140
1	-2.25	41	5.49	4.68	2439	1140
2	-1.13	33	5.84	4.58	2683	1140
3	-25	36	5.86	4.52	2933	1140
4	38	40	5.86	4.52	2664	1140
5	74	17	6.47	4.79	2633	1140
6	98	-64	6.35	5.18	2434	1140
7	1.37	-13	6.84	5.65	2771	1140
8	1.93	-34	7.49	6.20	3365	1140
9	2.72	-48	8.20	6.98	3521	1140
10	3.43	-88	9.16	8.11	3507	1140
11	4.16	-1.37	10.21	9.25	3392	1140
12	4.98	-2.06	10.87	10.20	2982	1140
13	5.07	-2.82	11.09	10.60	2785	1140
14	4	-3.35	10.24	9.51	2484	1140
15	2	-3.07	8.54	7.19	2114	1140
16	-0.99	-2.44	6.57	5.15	2507	1140
17	-2.06	-1.42	5.30	3.70	1719	1140
18	-3.98	-75	4.33	3.05	1702	1140
19	-6.03	-64	3.90	2.72	1830	1140
20	-8.10	-57	3.96	2.51	1300	1140
21	-9.87	-31	3.74	2.38	0356	1140
22	-11.17	-22	3.77	2.64	-0353	1140
23	-12.01	-14	3.90	2.69	-0120	1140
24	-12.58	-32	4.06	2.76	-0263	1140
25	-13.21	-48	4.27	2.99	-0542	1140
26	-13.56	-65	4.63	2.99	-0175	1140
27	-13.81	-72	5.07	3.34	-0739	1140
28	-15.99	-86	5.06	2.53	0177	79
29	-16.47	-51	5.34	2.57	-0613	80
30	-16.91	25	5.49	3.29	-1083	79
31	-16.23	1.35	5.77	3.76	0391	81
32	-14.59	1.72	6.18	3.72	1419	80
33	-13.13	1.54	6.74	3.21	1814	79
34	-11.97	1.01	7.58	3.56	-0483	79
35	-11.07	1.66	7.95	3.44	-1352	80
36	-10.74	12	7.92	4.11	-2548	81
37	-11.38	-94	7.87	4.90	-1510	81
38	-11.43	-1.01	8.49	4.48	-0204	83
39	-10.83	-13	9.94	4.77	-0673	84
40	-10.52	-70	10.25	5.56	-1025	83
41	-10.81	1.53	10.34	5.68	0317	81
42	-11.10	12	9.97	6.44	0200	81
43	-11.15	36	10.94	5.32	0222	87
44	-10.99	1.38	11.18	6.25	-0157	89
45	-10.30	2.55	11.65	6.07	0483	88
46	-9.51	2.49	12.59	6.60	-2243	88
47	-8.92	2.31	13.09	8.49	-2134	87
48	-7.51	2.17	13.73	7.45	-1108	87
49	-6.50	2.27	14.25	7.16	-0616	86
50	-4.98	3.20	15.32	6.85	-0697	89
51	-3.19	4.07	15.12	7.56	-1356	89
52	-1.22	4.40	14.32	8.19	-0883	88
53	1.94	3.86	12.97	7.38	-1086	85
54	3.00	4.72	12.61	8.22	-3180	86
55	4.19	4.43	11.52	8.15	-3922	86
56	3.60	4.29	11.94	8.98	-2719	85
57	6.16	4.57	10.81	9.35	-1500	79
58	5.86	3.72	10.90	9.53	0460	74
59	5.61	2.64	11.94	9.30	1611	66
60	8.03	2.54	11.70	10.03	1408	59
61	8.34	2.92	12.29	10.52	0899	41
62	9.79	2.32	10.99	11.38	-1598	28
63	9.46	2.83	11.56	11.16	-3067	24
64	8.89	-67	13.33	10.25	0877	18
65	9.13	-33	15.56	12.37	4115	15
66	11.18	2.35	15.22	10.31	3122	17
67	8.75	3.31	11.35	12.84	1137	16
68	7.73	5.09	8.06	16.38	2302	11
69	9.38	7.15	15.57	17.28	-3142	13
70	11.36	4.93	11.90	16.45	-1353	14
71	11.43	50	13.82	13.60	-0412	14
72	11.67	-5.87	17.50	9.73	0253	15
73	4.42	-9.75	16.38	9.61	0422	12
74	5.10	-15.55	17.04	14.96	-2538	11
75	-2.50	-9.67	19.58	13.11	1143	6
76	-3.25	-11.12	16.69	15.06	6459	8
77	-8.29	-7.86	16.35	10.56	3882	7
78	-9.14	-7.86	14.18	8.74	5892	7
79	-11.17	-5.00	13.93	8.77	6816	6
80	-12.83	33	11.88	9.67	6101	6
81	-14.17	6.33	10.12	10.39	5743	6
82	-14.17	12.33	10.82	11.83	5056	6
83	-14.33	17.33	11.54	12.34	4467	6
84	-12.83	22.67	14.86	13.09	4060	6
85	-8.00	27.60	17.26	14.92	4729	5
86	6.33	34.33	19.70	14.70	1177	3




Figure 1.9. KSC bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 1.10. KSC BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

October

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	-1.29	-1.13	3.26	2.89	0.822	1170
1	-2.28	-1.16	5.97	5.01	2270	1170
2	-0.3	32	4.26	4.86	2510	1170
3	1.96	05	6.39	4.94	2104	1170
4	3.54	01	6.58	5.24	2175	1170
5	5.23	-17	6.99	5.97	2592	1170
6	7.05	-25	7.63	6.76	2688	1170
7	9.04	31	8.66	7.65	2488	1170
8	11.28	-26	9.68	8.06	239	1170
9	13.48	-22	11.06	10.06	2244	1170
10	15.70	-12	12.30	12.06	1984	1170
11	18.05	-30	13.36	13.49	1867	1170
12	19.70	-49	13.61	14.31	2132	1170
13	19.99	-1.02	13.20	13.50	2376	1170
14	18.56	-1.43	12.23	11.37	2455	1170
15	15.45	-1.42	10.35	8.95	2397	1170
16	11.07	-1.20	8.41	6.71	2537	1170
17	6.56	-02	6.96	4.81	2603	1170
18	2.72	-60	5.77	3.61	2705	1170
19	0.3	-44	4.99	3.13	1822	1170
20	-1.71	-24	4.62	2.92	1456	1170
21	-2.68	-27	4.39	2.74	1684	1170
22	-3.33	-37	4.41	2.79	0757	1170
23	-3.81	-38	4.61	2.75	0674	1170
24	-3.95	-38	4.82	2.83	0310	1170
25	-3.66	-40	5.17	3.01	0758	1170
26	-3.09	-50	5.73	3.11	1258	1170
27	-2.39	-60	6.04	3.30	0982	1170
28	-4.10	28	5.61	2.72	1014	87
29	-3.04	37	5.95	3.15	3187	89
30	-2.51	52	6.44	3.09	1378	87
31	-1.24	1.34	6.90	3.70	0059	90
32	0.43	2.09	7.20	3.98	0896	89
33	2.83	2.46	7.43	4.14	1853	89
34	5.39	1.62	8.28	4.50	2304	92
35	8.02	07	9.58	5.13	2523	94
36	9.35	-1.01	11.28	6.81	1533	94
37	10.69	-1.04	11.94	5.90	0680	93
38	12.63	-46	12.18	5.93	1025	97
39	13.91	-20	12.54	6.08	0226	98
40	15.56	-12	13.48	6.41	0963	98
41	16.69	58	14.07	6.10	2553	97
42	18.92	1.24	14.88	5.83	2789	99
43	20.10	1.74	15.63	5.97	2219	100
44	22.27	2.81	16.61	5.96	3314	99
45	24.38	3.87	17.15	6.46	3078	102
46	27.11	4.27	18.01	7.02	3157	103
47	28.83	4.58	19.08	7.65	3039	103
48	30.39	5.12	19.96	8.03	3128	99
49	31.58	5.27	20.72	7.95	3833	102
50	33.29	5.69	20.07	8.24	3976	102
51	34.69	6.10	21.08	8.50	4257	98
52	36.06	6.65	22.01	8.68	3929	100
53	37.79	7.40	21.29	8.45	2732	100
54	39.13	7.37	21.50	8.51	3166	97
55	40.27	7.07	21.65	7.96	3472	97
56	40.23	6.14	21.84	8.63	3801	92
57	38.72	4.33	20.44	9.43	3486	83
58	38.96	2.98	20.54	10.06	3661	83
59	38.08	3.62	21.25	10.32	3300	77
60	37.00	3.87	19.62	10.74	3781	62
61	35.68	3.21	19.26	11.11	2993	47
62	32.00	3.02	18.70	9.83	0724	42
63	11.67	1.75	18.03	10.29	0491	36
64	32.31	2.56	18.48	10.65	0090	36
65	30.19	4.59	18.94	10.45	0182	32
66	28.07	7.21	18.16	11.46	0770	29
67	27.19	9.58	18.00	15.26	0196	26
68	25.19	12.92	18.25	14.36	0638	26
69	23.92	15.12	19.26	14.94	1388	26
70	22.19	17.38	18.70	14.38	2402	26
71	24.16	11.12	19.33	15.71	5115	25
72	19.00	6.74	15.33	16.20	5720	23
73	14.21	6.08	13.89	16.21	0515	24
74	8.05	4.38	14.86	15.10	0082	21
75	3.61	5.00	14.04	13.74	0812	18
76	-3.42	3.84	14.38	17.01	1975	19
77	-4.22	4.83	13.07	18.72	1898	18
78	-4.89	6.28	13.90	19.64	3566	18
79	-6.32	7.37	17.32	18.97	5354	19
80	-5.83	8.67	18.18	17.41	5908	18
81	-02	12.00	17.63	16.06	5690	17
82	3.11	14.41	19.99	15.92	3703	17
83	8.44	16.37	23.15	17.30	0355	16
84	13.94	18.56	25.49	20.12	2903	16
85	23.37	14.37	26.35	18.06	4864	8
86	30.17	13.33	29.54	24.13	6913	6
87	30.50	13.50	34.49	35.72	9067	4
88	35.50	15.00	33.57	42.47	8660	4
89	40.04	16.00	32.53	47.09	8272	4
90	43.25	12.75	31.67	48.00	7606	4




Figure 1.10. KSC bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 1.11. KSC BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

November

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	- 14	- 00	3 03	2 93	- 1471	1140
1	0 00	- 33	6 76	3 36	- 1399	1140
2	2 77	- 06	7 23	3 31	- 1699	1140
3	5 41	- 00	7 59	3 60	- 1947	1140
4	7 72	- 14	7 95	6 26	- 2039	1140
5	10 20	- 12	8 75	6 92	- 2396	1140
6	12 95	- 14	9 71	7 91	- 2071	1140
7	15 62	- 13	10 46	9 03	- 3056	1140
8	18 52	- 24	11 44	10 20	- 3119	1140
9	21 39	- 04	2 47	11 50	- 3297	1140
10	24 24	- 01	13 59	12 91	- 3441	1140
11	27 33	- 04	14 00	4 20	- 3350	1140
12	29 73	- 10	14 25	13 00	- 3503	1140
13	30 39	- 05	13 42	13 00	- 3207	1140
14	28 50	- 20	12 17	11 60	- 3224	1140
15	24 64	- 09	10 29	9 55	- 2994	1140
16	20 03	- 25	8 76	8 03	- 2741	1140
17	14 96	- 37	7 64	6 75	- 1855	1140
18	9 00	- 39	6 63	5 13	- 1501	1140
19	6 17	- 00	5 68	4 11	- 1406	1140
20	3 99	00	5 10	3 40	- 1590	1140
21	3 26	05	5 33	3 11	- 2226	1140
22	3 11	13	5 74	3 30	- 1953	1140
23	3 68	27	6 21	3 33	- 1590	1140
24	4 67	27	6 78	3 45	- 1690	1140
25	6 13	19	7 63	3 00	- 2063	1140
26	7 63	10	8 21	3 50	- 1830	1140
27	9 17	30	8 85	4 04	- 1110	1140
28	8 17	1 90	9 15	3 84	- 0893	92
29	10 47	2 34	9 85	3 92	- 0516	95
30	12 32	2 03	10 09	4 59	- 1059	94
31	15 51	3 61	12 31	5 07	- 1022	97
32	18 38	3 74	12 72	5 08	- 0200	97
33	21 50	4 12	14 05	5 37	- 0452	99
34	25 71	3 49	14 46	5 17	- 1910	99
35	28 91	2 66	14 50	5 25	- 104	98
36	31 62	1 65	15 04	6 36	- 1086	100
37	34 20	2 19	14 77	7 64	- 1953	96
38	36 71	2 20	14 35	8 22	- 1291	101
39	39 25	1 91	14 50	8 45	- 1000	101
40	41 24	3 04	14 16	8 33	- 0610	103
41	43 07	3 69	14 53	8 75	- 0929	104
42	45 07	5 37	14 67	8 91	- 1050	104
43	47 42	7 33	15 17	9 52	- 3491	106
44	50 25	9 50	15 35	9 33	- 3632	106
45	53 06	10 04	15 20	8 90	- 3546	100
46	56 06	11 40	15 07	9 56	- 2219	107
47	59 56	12 34	14 92	10 92	- 2716	107
48	61 39	14 03	15 29	11 10	- 2495	105
49	63 96	15 20	15 09	11 50	- 3053	103
50	65 03	13 50	15 22	11 43	- 3620	105
51	67 09	12 52	15 53	11 77	- 3054	103
52	68 74	12 01	15 69	11 20	- 2377	99
53	69 87	12 19	16 66	12 05	- 2066	100
54	69 90	11 96	16 67	12 52	- 1751	100
55	69 77	11 69	16 92	11 00	- 1912	96
56	69 26	10 60	16 70	11 20	- 2256	91
57	68 52	9 67	17 26	12 43	- 2700	86
58	67 49	10 05	18 09	14 16	- 1936	83
59	67 28	10 60	17 49	15 00	- 1636	79
60	66 17	8 37	18 26	13 70	- 1593	70
61	65 34	5 26	19 01	13 66	- 1670	53
62	65 07	7 93	20 50	14 54	- 1810	44
63	60 76	8 55	22 43	14 27	- 0032	30
64	59 59	10 26	23 66	14 49	- 0940	34
65	58 29	9 49	23 20	14 44	- 0751	35
66	62 27	8 93	16 36	13 70	- 0629	30
67	57 21	7 06	17 11	15 73	- 0523	20
68	56 30	4 62	21 53	16 16	- 2930	21
69	48 91	5 40	20 09	17 47	- 0631	23
70	42 91	6 22	19 63	18 69	- 2540	23
71	37 71	5 06	19 42	15 37	- 1257	21
72	28 01	0 33	17 61	14 33	- 1102	21
73	25 53	10 53	23 32	17 47	- 2426	19
74	25 47	13 95	24 41	20 97	- 2270	21
75	21 36	14 73	22 73	22 62	- 2564	22
76	16 00	13 19	22 91	21 30	- 3229	21
77	15 43	14 57	23 23	19 50	- 2770	21
78	15 62	15 43	23 41	17 95	- 2270	21
79	16 62	16 05	24 05	15 79	- 2360	21
80	18 33	16 52	24 02	15 00	- 2942	21
81	20 62	16 30	25 10	15 14	- 3351	21
82	23 19	15 01	25 33	17 69	- 3460	21
83	26 70	15 35	24 75	21 67	- 3599	20
84	29 20	14 44	23 74	26 45	- 3464	10
85	25 09	5 02	24 15	26 07	- 4972	11
86	20 75	1 12	25 43	26 43	- 2960	0
87	7 00	0 00	21 42	33 11	- 3575	5
88	1 60	6 00	20 12	40 35	- 4010	5
89	2 40	8 20	33 20	43 87	- 5915	5
90	- 50	20 75	40 20	46 70	- 7344	4




Figure 1.11. KSC bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 1.12. KSC BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

December

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	39	- 65	2 94	3 03	- 2762	1170
1	1 33	67	6 87	5 97	- 0232	1170
2	4 61	90	7 32	5 70	- 0029	1170
3	7 05	80	7 70	6 31	0556	1170
4	11 11	1 13	8 20	7 10	1273	1170
5	14 02	1 59	8 97	8 11	1510	1170
6	17 00	1 64	9 65	8 96	1823	1170
7	20 00	1 89	10 66	9 87	2088	1170
8	23 02	2 22	11 89	10 69	2621	1170
9	26 10	2 50	13 35	11 75	2938	1170
10	29 10	2 54	14 66	13 10	2925	1170
11	31 73	2 37	15 29	14 10	2938	1170
12	34 24	2 47	15 40	14 67	2873	1170
13	35 15	2 62	14 39	13 62	3142	1170
14	33 73	2 37	13 04	11 39	3403	1170
15	30 24	2 00	11 37	9 77	3181	1170
16	25 71	1 91	9 65	8 73	2757	1170
17	20 71	1 49	8 57	7 70	2529	1170
18	15 20	98	7 68	6 24	2257	1170
19	10 19	64	7 05	4 80	2396	1170
20	7 39	35	6 62	3 90	1888	1170
21	6 43	29	6 49	3 69	2674	1170
22	6 53	08	6 41	3 34	2570	1170
23	7 46	07	6 98	3 48	2080	1170
24	9 31	31	7 74	3 54	2095	1170
25	11 33	46	8 42	3 84	2106	1170
26	12 99	63	9 25	4 07	1977	1170
27	14 39	98	9 98	4 31	1440	1170
28	15 11	3 06	9 16	4 97	4169	93
29	17 89	3 73	9 62	5 51	4297	95
30	20 52	4 85	10 19	5 99	4830	95
31	22 83	6 46	10 69	6 91	3479	101
32	25 64	7 49	11 03	6 83	2665	100
33	28 34	7 15	12 15	7 08	2622	102
34	30 80	7 28	12 76	7 47	2724	103
35	32 40	6 77	13 69	7 26	1467	103
36	33 17	5 89	14 50	6 93	- 0350	103
37	33 73	6 49	15 24	7 52	- 1462	106
38	34 18	6 87	15 92	8 93	- 2086	106
39	33 99	7 86	15 69	8 90	- 0709	107
40	34 52	8 59	15 92	9 90	- 0580	104
41	34 35	8 71	16 11	10 80	- 0216	109
42	34 11	8 79	17 50	11 40	0599	112
43	33 71	9 54	18 92	11 47	0441	112
44	33 68	9 19	20 70	11 06	0507	111
45	33 87	10 57	21 40	12 77	- 0498	112
46	33 32	11 04	21 89	11 69	- 1698	113
47	31 94	10 52	22 63	11 41	- 0739	108
48	31 97	10 62	24 08	12 32	- 0858	109
49	32 31	10 87	24 59	12 46	- 0438	103
50	32 90	12 10	24 07	12 23	0462	104
51	33 54	12 10	24 59	13 52	0587	100
52	32 36	12 87	25 63	13 51	- 0270	100
53	33 16	12 21	27 55	12 92	- 0314	100
54	34 50	11 16	27 87	12 96	- 1434	101
55	35 24	11 28	27 96	14 12	- 1104	101
56	36 66	11 48	27 02	15 19	- 0450	100
57	39 35	11 70	27 11	14 38	0 55	93
58	41 29	11 77	27 08	15 09	0612	83
59	42 94	10 62	26 48	14 40	2165	71
60	43 60	12 54	27 51	16 55	1372	65
61	43 09	13 85	29 28	17 67	1579	55
62	44 89	12 47	28 85	16 03	1753	53
63	45 26	10 16	28 27	16 82	2558	50
64	48 42	8 46	30 03	16 15	2760	48
65	49 71	6 05	32 84	15 83	2942	42
66	49 46	2 41	36 60	18 13	2756	37
67	47 48	- 06	33 34	20 76	2910	31
68	50 04	2 07	31 48	20 79	3092	28
69	50 23	- 77	30 50	19 23	3993	30
70	57 00	-3 04	24 73	21 85	3259	28
71	58 31	-7 79	27 07	19 38	2649	29
72	56 38	-11 04	25 67	19 73	0480	26
73	50 04	-17 00	29 44	21 68	- 0174	23
74	47 82	-20 45	32 28	24 86	0005	22
75	38 95	-2 25	33 34	28 24	0777	20
76	29 62	-19 48	35 05	29 36	1339	21
77	23 83	-15 20	36 51	30 07	1856	20
78	20 05	-8 62	35 49	29 58	2547	21
79	15 00	-1 20	36 77	26 67	2716	20
80	12 70	5 00	35 72	24 22	4079	20
81	11 65	10 35	34 41	22 31	3812	20
82	11 75	15 00	32 63	21 29	2940	20
83	12 90	19 45	30 64	22 44	1861	20
84	18 17	21 17	24 75	23 91	1197	18
85	18 27	25 47	25 33	16 60	1208	15
86	13 00	24 00	16 01	10 60	- 1670	6
87	11 75	17 75	11 34	12 32	- 0720	4
88	18 67	12 67	8 34	18 08	4900	3




Figure 1.12. KSC bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 2.1. VAFB BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

January

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	42	-62	2 89	3 43	-3137	620
1	1 08	-1 55	4 34	7 07	0402	620
2	3 57	-2 61	5 87	7 75	1187	620
3	6 38	-3 33	7 80	8 73	1907	620
4	9 78	-3 61	9 49	9 76	2665	620
5	11 16	-3 45	11 12	10 98	2950	620
6	12 92	-3 64	12 55	12 22	2757	620
7	14 83	-4 15	13 96	13 44	2816	620
8	16 68	-4 50	15 45	14 69	2816	620
9	18 74	-5 02	17 22	15 81	2709	620
10	21 08	-5 39	18 60	16 99	2601	620
11	23 75	-5 41	19 45	17 23	2412	620
12	25 09	-5 26	18 34	16 01	2291	620
13	24 33	-4 64	15 40	13 34	2851	620
14	22 68	-4 10	13 34	11 36	3028	620
15	19 77	-3 52	10 99	9 07	3158	620
16	16 77	-3 11	9 41	8 29	3310	620
17	13 49	-2 97	8 19	6 45	3274	620
18	9 91	-2 93	6 99	5 40	3204	620
19	6 80	-2 90	6 40	4 74	3646	620
20	3 81	-2 86	6 00	4 09	2914	620
21	1 79	-2 91	6 90	3 85	2322	620
22	08	-2 99	7 34	3 77	2616	620
23	-1 04	-3 02	8 10	3 85	3076	620
24	-1 45	-2 84	9 20	4 17	3578	620
25	-1 78	-2 63	10 49	4 38	3599	620
26	-1 63	-2 89	11 56	4 71	3777	620
27	-1 01	-3 12	12 90	5 11	4350	620
28	1 27	-1 25	14 17	5 33	5434	110
29	3 09	-1 04	15 57	5 88	4858	124
30	4 20	-1 25	16 83	6 51	4845	129
31	5 73	-08	17 92	7 36	4517	129
32	7 66	-95	19 73	7 68	4870	133
33	9 08	-54	21 09	8 64	5336	132
34	11 70	-24	22 50	9 66	5468	132
35	12 74	-29	23 72	10 06	5622	133
36	14 23	-45	24 89	10 42	5961	132
37	16 73	-1 10	25 94	10 64	5492	131
38	18 18	-1 12	26 80	11 09	5084	132
39	19 20	-91	26 56	11 38	4615	133
40	20 96	-1 04	26 37	12 13	4139	131
41	22 63	-85	26 71	12 89	3625	130
42	25 34	79	25 86	13 86	2959	131
43	28 78	1 99	26 12	15 77	2650	134
44	32 34	2 92	26 84	16 77	3818	131
45	37 06	5 92	27 35	18 29	3621	133
46	40 57	7 66	30 05	20 59	4323	134
47	43 68	8 70	31 23	20 83	4171	132
48	46 88	9 13	32 13	21 21	4617	129
49	48 25	10 93	31 96	20 82	4491	134
50	49 42	12 09	31 62	20 33	4589	130
51	51 17	12 92	30 22	19 76	4543	132
52	51 50	12 04	29 63	18 41	4260	130
53	52 76	11 90	28 95	18 49	4404	130
54	54 15	11 71	28 52	18 95	4059	128
55	55 33	11 28	28 24	18 70	3719	124
56	55 50	10 23	28 50	18 30	3266	124
57	57 74	10 50	28 60	18 69	2316	117
58	58 44	10 45	29 02	19 14	2032	104
59	59 51	8 91	30 40	19 92	3262	86
60	62 09	7 79	21 96	21 96	4245	66
61	67 00	11 83	28 44	20 38	4015	48
62	70 51	14 74	27 84	18 90	3312	35
63	73 80	15 80	28 69	16 11	1870	30
64	78 80	13 77	28 70	16 19	1008	30
65	83 90	9 76	28 95	13 36	0939	29
66	90 59	5 30	25 44	13 12	1447	27
67	86 73	2 38	24 75	13 19	2212	26
68	89 69	00	24 32	12 87	2145	26
69	86 11	-4 11	25 20	15 49	2714	27
70	80 93	-5 21	25 97	18 06	1463	28
71	77 81	-5 44	26 05	19 51	0743	27
72	74 47	-6 00	25 36	20 30	0199	27
73	71 73	-7 00	24 41	21 83	-0171	26
74	67 83	-9 35	23 06	24 97	-1541	23
75	62 95	8 37	24 26	29 03	-2199	19
76	53 06	-3 82	21 42	29 74	-0195	17
77	44 53	4 53	18 22	25 67	1275	15
78	40 36	5 43	20 17	25 53	1446	14
79	38 85	7 31	19 34	25 76	1066	13
80	35 00	8 00	20 74	25 41	0856	13
81	31 77	8 31	21 88	26 49	1078	13
82	29 08	-54	22 83	26 51	1651	13
83	27 38	6 46	23 76	7 80	2594	13
84	26 46	4 54	25 38	28 41	3649	13
85	26 46	1 85	27 98	28 77	4775	13
86	38 12	4 12	24 34	27 74	3932	8
87	39 00	-5 43	30 02	25 08	1588	7
88	31 25	50	35 30	15 96	9355	4




Figure 2.1. VAFB bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 2.2. VAFB BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

February

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	69	-78	3 03	3 49	-5499	364
1	23	-1 60	4 28	7 30	-1941	364
2	2 24	-2 02	5 23	8 30	-1149	364
3	4 96	-2 07	6 69	9 70	-6159	364
4	7 48	-3 14	8 05	10 83	9041	364
5	9 76	-3 18	9 39	11 80	6213	364
6	11 69	-3 20	10 59	12 91	6730	364
7	13 87	-3 38	12 12	14 21	1126	364
8	16 25	-3 75	13 67	15 40	1636	364
9	18 84	-4 15	15 55	16 32	1818	364
10	21 43	-4 34	17 56	17 44	2130	364
11	24 40	-4 08	18 63	17 10	2211	364
12	26 28	-3 50	17 26	15 75	2387	364
13	25 44	-2 88	14 65	13 26	2665	364
14	23 55	-2 51	12 55	11 53	2398	364
15	20 49	-2 43	10 69	9 69	2340	364
16	17 59	-2 22	8 52	8 40	2430	364
17	14 25	-2 26	7 29	6 81	2425	364
18	10 58	-2 23	6 32	5 49	2277	364
19	7 35	-2 25	5 50	4 45	2566	364
20	4 62	-2 11	4 05	3 83	2503	364
21	2 46	-2 00	6 28	3 50	2192	364
22	1 13	-2 29	6 72	3 32	1856	364
23	34	-2 11	7 08	3 29	1576	364
24	07	-1 97	7 71	3 50	1225	364
25	-13	-1 90	8 56	3 57	1103	364
26	40	-1 80	9 66	1 02	1466	364
27	1 50	-1 69	11 30	4 38	1503	364
28	39	1 77	12 21	3 69	0705	117
29	1 53	-1 89	13 33	3 99	1120	119
30	2 68	-1 98	14 62	4 46	2525	126
31	4 96	-1 67	16 67	4 66	3372	127
32	7 20	-1 49	18 45	5 06	3546	124
33	9 54	95	20 19	5 68	3730	125
34	11 78	73	22 62	5 96	4892	127
35	14 50	41	24 73	6 66	5270	127
36	17 01	-82	26 84	6 93	5406	125
37	20 21	-1 00	28 23	7 31	5178	126
38	21 12	1 50	29 94	7 90	4968	126
39	23 33	-1 47	30 57	9 00	4197	129
40	25 03	-1 93	30 76	10 12	3979	127
41	27 30	-1 19	31 13	11 76	4238	126
42	29 41	-1 25	31 45	12 58	4453	128
43	30 95	26	31 53	13 74	4031	129
44	32 41	1 20	31 78	15 27	4972	128
45	34 23	2 21	31 77	16 32	4914	126
46	34 95	2 72	31 75	15 96	4543	128
47	36 33	4 38	31 72	15 43	4788	128
48	35 87	4 74	30 62	14 15	4412	123
49	38 46	4 49	29 42	12 90	4716	126
50	38 65	5 28	28 39	14 50	3739	127
51	39 55	5 52	27 92	15 55	3701	125
52	40 92	5 97	27 02	14 42	3774	127
53	42 07	6 11	26 79	14 14	3879	124
54	45 57	6 24	25 21	14 77	4245	118
55	47 50	7 42	25 35	14 29	4261	117
56	49 17	7 01	25 56	15 27	3558	114
57	51 50	8 36	24 60	14 48	2870	107
58	54 67	8 28	24 65	14 79	3940	99
59	58 06	7 27	24 24	15 43	4403	78
60	61 19	5 65	23 06	17 52	4295	62
61	65 12	8 30	21 47	17 57	3797	40
62	67 28	5 06	24 77	17 39	4634	32
63	70 62	6 04	29 54	14 39	2584	26
64	71 96	3 89	30 45	12 47	1697	25
65	71 87	7 22	31 11	13 43	6747	23
66	71 09	3 65	30 96	13 64	6673	23
67	71 09	3 22	32 76	12 68	0163	23
68	68 91	2 64	33 26	12 47	1103	22
69	67 05	41	30 20	15 86	-3582	22
70	63 95	-1 25	24 37	17 99	1467	20
71	62 38	-2 10	25 75	15 25	-1312	21
72	57 90	2 43	26 19	12 82	-3812	21
73	54 06	-1 76	27 02	14 20	-5893	17
74	45 40	13	26 95	17 55	4617	15
75	35 42	7 83	25 35	17 48	-7542	12
76	30 25	11 08	24 35	17 34	-7052	12
77	28 00	13 10	24 20	18 53	-5989	10
78	24 00	15 60	23 72	18 18	-4283	10
79	21 10	17 90	24 18	17 65	-2019	10
80	18 99	19 60	24 88	17 30	0082	10
81	14 44	20 33	25 43	17 49	1594	9
82	14 11	21 00	26 46	17 20	2928	9
83	14 56	20 56	27 71	16 61	3789	9
84	16 11	18 89	28 58	15 79	3783	9
85	18 89	16 11	29 13	15 33	3033	9
86	19 25	12 25	25 86	18 58	7541	4
87	25 75	2 75	24 99	22 53	-7756	4
88	24 00	12 67	23 37	12 42	-1901	3




Figure 2.2. VAFB bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 2.3. VAFB BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

March

Alt (km)	U	V	S(u)	S(v)	R(uv)	N
0	1.03	-1.4	2.70	3.48	-5703	620
1	1.13	-3.35	4.00	6.35	-4062	620
2	3.21	-2.30	5.00	7.40	-0330	620
3	6.00	-3.51	6.64	8.53	-6176	620
4	0.62	-3.92	0.39	9.74	6439	620
5	11.05	-2.69	10.20	11.64	6475	620
6	13.19	-2.01	11.69	12.21	6894	620
7	15.20	-4.11	13.06	12.73	1363	620
8	17.17	-4.39	14.40	13.17	1792	620
9	19.97	-4.65	15.32	16.56	2137	620
10	21.43	-4.66	15.64	17.35	2276	620
11	23.2	-4.44	15.67	16.60	2201	620
12	2.02	-2.56	13.06	13.06	1946	620
13	24.75	-2.74	11.79	12.93	1699	620
14	22.32	-1.90	10.34	10.95	2150	620
15	26.01	-1.51	0.63	0.92	1693	620
16	10.03	-1.10	7.03	7.52	1355	620
17	15.26	-1.36	7.30	6.50	0062	620
18	11.70	-1.20	6.40	5.01	0414	620
19	0.65	-1.26	6.09	4.10	0253	620
20	6.44	-1.30	6.26	3.03	-0061	620
21	4.60	-1.27	6.72	3.40	-0330	620
22	3.12	-1.07	7.07	3.00	-0003	620
23	3.90	-0.86	7.04	3.34	1132	620
24	3.30	-0.54	0.74	3.29	1927	620
25	3.60	-0.30	9.66	3.29	2329	620
26	4.42	-0.10	10.36	3.27	3290	620
27	5.63	0.04	11.39	3.97	4227	620
28	4.12	0.45	10.54	3.66	4841	97
29	5.66	0.50	11.40	3.64	5027	101
30	7.04	0.47	12.20	4.10	6037	103
31	9.36	0.65	13.56	4.93	7634	107
32	11.07	0.66	14.09	5.17	7697	106
33	14.45	1.60	15.93	5.00	7237	107
34	17.74	2.35	16.90	5.90	7234	109
35	20.75	2.49	17.02	6.36	7077	114
36	23.45	2.65	19.16	6.97	7046	100
37	24.40	2.62	20.67	7.54	4307	100
38	20.97	2.31	22.16	7.40	4535	109
39	30.31	3.05	23.04	0.17	4256	111
40	31.75	3.97	23.50	0.70	3240	100
41	33.03	4.53	22.01	5.65	2417	110
42	35.09	4.91	21.47	10.34	1506	107
43	35.20	4.77	20.90	11.13	2096	111
44	35.41	5.97	20.60	11.00	3114	109
45	36.23	7.22	19.03	12.06	3221	111
46	36.29	9.05	19.03	11.62	3649	110
47	37.57	9.62	18.00	11.95	3204	111
48	38.19	9.54	18.22	11.93	2836	110
49	38.18	9.39	17.05	12.70	2941	109
50	37.92	9.59	17.76	13.40	3297	109
51	37.46	10.13	17.72	13.13	3199	109
52	37.09	10.94	17.70	13.40	3461	106
53	38.40	11.27	18.01	13.7	3407	100
54	38.52	11.66	17.33	13.56	3736	105
55	39.13	13.10	17.45	13.93	4442	100
56	40.20	13.20	18.67	13.93	3596	98
57	41.25	12.62	19.59	13.00	3040	93
58	41.64	11.20	20.40	13.99	3605	06
59	44.02	11.39	20.32	13.51	4805	66
60	44.30	0.51	20.70	15.04	4442	53
61	40.05	6.95	22.49	17.29	2463	44
62	42.45	6.06	21.18	17.29	3026	33
63	41.57	4.93	22.07	16.71	2345	30
64	39.52	3.30	25.67	17.24	2494	23
65	37.26	2.40	23.05	18.70	1766	23
66	36.00	1.27	22.17	21.67	1350	22
67	31.05	1.33	20.95	19.30	1135	21
68	26.32	2.79	22.61	18.04	1029	19
69	21.05	6.37	23.26	19.11	0342	19
70	10.40	7.05	23.91	16.22	0331	20
71	10.67	4.06	23.29	18.75	0043	10
72	17.65	4.94	23.69	18.15	0679	17
73	12.33	7.00	22.16	17.09	2065	15
74	13.92	0.67	17.37	18.00	3514	12
75	0.60	11.20	14.32	13.41	3379	10
76	5.24	13.75	15.06	13.63	3779	0
77	4.57	13.00	15.54	13.35	2219	7
78	50	18.17	11.79	14.64	1994	6
79	1.50	16.50	12.00	14.24	7430	6
80	40	17.00	14.92	14.04	5369	5
81	00	19.00	15.41	13.44	6074	5
82	00	22.20	17.47	11.99	6760	5
83	2.60	24.20	19.12	9.03	7351	5
84	5.60	25.00	20.42	0.03	8149	5
85	10.20	26.00	21.40	6.43	8515	5
86	12.00	25.47	27.50	7.13	9530	3
87	22.67	27.00	29.32	7.24	9110	3
88	34.67	27.67	31.75	7.13	7024	3




Figure 2.3. VAFB bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 2.4. VAFB BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

April

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	$\lambda(uv)$	N
0	2.22	-2.39	2.80	3.24	-6305	600
1	1.31	-4.01	3.99	5.68	-6077	600
2	2.83	-3.68	4.97	7.08	-1282	600
3	5.61	-3.94	6.56	8.60	-9255	600
4	0.55	-4.12	8.47	10.35	-9371	601
5	11.34	-4.03	10.30	11.90	1043	600
6	13.91	-4.02	11.96	13.46	1403	600
7	16.15	-3.84	13.19	15.00	1773	600
8	18.19	-4.05	14.48	16.28	2183	600
9	20.00	-4.08	15.47	17.08	2739	600
10	21.87	-4.00	15.68	17.42	2879	600
11	23.20	-3.53	15.23	16.82	2802	600
12	23.94	-2.16	13.64	15.48	2544	600
13	23.32	-1.02	11.20	12.84	2311	600
14	21.55	.25	9.14	10.85	2090	600
15	19.33	.73	8.00	9.21	2190	600
16	16.36	.81	6.98	7.79	1934	600
17	13.21	.82	6.09	6.60	1087	600
18	10.04	.93	5.43	5.16	0843	600
19	7.01	.76	4.74	4.13	0352	600
20	4.54	.37	4.44	3.43	0413	600
21	2.95	.29	4.48	3.14	1350	600
22	1.69	.04	4.58	2.82	1842	600
23	1.25	.09	4.82	2.54	2015	600
24	1.60	.01	5.09	2.50	2060	600
25	2.50	-.10	5.66	2.91	1852	600
26	3.14	-.13	6.05	3.02	2909	600
27	4.38	.00	6.58	3.32	2794	600
28	3.89	.83	6.38	2.96	2854	107
29	5.61	.85	6.84	3.31	3094	108
30	7.40	.55	7.19	3.93	3145	109
31	9.22	.56	7.40	4.24	1665	115
32	10.93	.82	8.09	4.93	1232	110
33	13.08	1.02	8.54	5.53	3241	118
34	14.76	.94	9.16	5.43	3300	119
35	16.19	.98	9.58	5.40	3518	121
36	17.49	1.22	10.60	5.77	4325	122
37	18.58	.77	11.69	6.05	4640	120
38	18.87	.21	12.82	7.36	3667	122
39	18.50	-.67	14.05	7.32	3625	122
40	17.52	-1.14	15.77	6.85	3361	123
41	15.34	-.53	16.74	6.74	1837	122
42	13.67	.88	16.77	7.80	-0190	121
43	12.48	2.83	16.29	8.20	9713	119
44	12.45	3.87	16.23	8.32	1395	120
45	12.08	4.37	16.57	7.65	1826	118
46	12.75	5.02	17.11	8.40	2621	118
47	12.68	5.24	18.26	7.92	3303	119
48	12.04	5.87	18.57	7.39	2388	121
49	12.31	6.22	18.96	7.42	1365	121
50	12.52	5.83	18.53	7.99	1935	118
51	11.56	5.55	19.21	7.54	2121	120
52	10.24	5.38	19.03	7.17	1861	119
53	8.57	5.17	18.74	7.75	2605	115
54	6.83	4.80	18.69	8.63	2946	117
55	5.72	5.75	19.12	8.07	2174	115
56	5.12	6.88	18.86	8.37	2441	110
57	4.99	7.08	18.10	8.37	2539	106
58	4.89	6.07	17.18	9.48	1987	101
59	4.34	4.47	18.13	10.70	3545	81
60	1.92	2.77	19.48	10.05	2893	60
61	1.0	2.54	18.07	8.45	0829	48
62	1.6	4.10	16.45	9.11	2303	31
63	-.03	4.93	15.82	12.12	1347	29
64	-1.35	5.77	15.40	11.46	-0536	26
65	-3.27	5.36	14.34	10.76	-2352	22
66	.29	4.75	15.58	12.00	-4224	24
67	1.46	3.25	10.90	12.76	-3824	24
68	1.62	.43	8.86	12.10	0.5	21
69	-.35	-2.00	11.09	10.56	3052	23
70	-1.26	-2.91	13.20	9.11	1699	23
71	-2.48	-4.09	12.86	10.69	-0044	23
72	-4.96	-4.74	12.93	12.39	1169	23
73	-8.38	-5.24	15.09	13.65	1444	21
74	-8.41	-5.47	13.16	15.99	3001	17
75	-12.60	-3.13	14.26	17.26	4606	15
76	-15.80	-2.53	14.91	18.07	4547	15
77	-18.60	-2.07	15.41	18.17	4214	15
78	-21.07	-1.47	15.87	18.68	4064	15
79	-23.00	-.40	15.92	19.55	4028	15
80	-24.13	1.13	15.82	20.56	4041	15
81	-25.43	1.07	15.44	20.57	4249	14
82	-24.29	2.79	15.54	20.48	5563	14
83	-21.93	4.71	16.31	19.80	7188	14
84	-18.00	6.44	17.76	18.16	8055	14
85	-12.79	8.43	19.77	15.84	8639	14
86	-10.78	10.33	20.64	11.40	9888	9
87	-5.63	10.75	22.19	12.32	7872	8
88	-2.43	10.29	22.90	13.45	7082	7
89	10.83	11.17	23.42	17.20	6120	6
90	12.00	11.60	18.28	21.46	8882	5




Figure 2.4. VAFB bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 2.5. VAFB BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH.

May

Alt (km)	U	V	S(u)	S(v)	R(uv)	N
0	2.32	-2.15	2.39	2.39	-6009	620
1	1.62	-3.93	3.43	4.41	-1995	620
2	1.02	-3.13	4.10	3.43	-3577	620
3	2.72	-2.57	5.90	6.33	-4074	620
4	4.54	-2.20	7.29	7.45	-3220	620
5	6.17	-2.61	8.44	8.05	-1763	620
6	7.08	-2.65	9.54	9.64	-0693	620
7	8.73	-2.29	10.63	10.32	-0016	620
8	10.04	-2.56	11.72	11.70	0601	620
9	11.27	-2.44	12.61	12.70	1322	620
10	12.72	-2.30	13.43	13.50	1951	620
11	14.09	-2.07	14.04	14.05	2570	620
12	15.00	-1.25	13.20	12.02	2046	620
13	15.31	.00	11.17	10.61	2797	620
14	14.75	.91	8.93	8.59	2104	620
15	13.22	1.45	7.00	6.04	1710	620
16	11.17	1.61	5.00	5.69	1725	620
17	8.59	1.43	4.09	4.37	1054	620
18	5.57	1.05	3.95	3.45	1232	620
19	2.67	.64	3.62	2.73	0947	620
20	.22	.04	3.42	2.31	1000	620
21	-1.40	-.36	3.40	2.46	1441	620
22	-2.34	-.51	3.32	2.22	0733	620
23	-2.79	-.65	3.65	2.20	1021	620
24	-2.69	-.75	4.08	2.33	0703	620
25	-2.60	-.60	4.26	2.31	0030	620
26	-2.31	-.59	4.67	2.49	0151	620
27	-1.73	-.50	5.19	2.00	0242	620
28	-2.12	.44	4.18	2.33	0993	116
29	-1.39	.43	4.34	2.51	1080	116
30	-.75	.82	4.00	2.80	0581	118
31	-.89	1.13	5.29	3.12	0653	123
32	-.51	1.55	5.53	3.29	-0022	127
33	-.14	1.66	5.65	3.59	1116	120
34	-.03	1.51	6.02	3.64	2013	120
35	-.53	1.21	6.43	3.46	1400	129
36	-1.63	.69	7.47	3.49	0433	126
37	2.85	.28	7.74	3.02	-0438	126
38	-3.84	.23	7.97	4.07	-0086	129
39	-5.65	.16	8.42	3.70	-0970	129
40	-7.00	.29	8.41	4.30	-3090	127
41	-9.02	.20	8.12	4.13	-1710	127
42	-10.28	.20	8.52	4.12	-1300	125
43	-12.21	.34	8.34	4.53	-1659	126
44	-14.01	1.66	7.61	4.65	-0976	120
45	-15.30	3.33	8.00	5.25	-1677	129
46	-16.62	4.29	8.10	5.27	-1575	124
47	-17.59	5.08	8.92	5.40	-0870	120
48	-18.42	6.07	9.04	5.69	-0973	126
49	-19.12	6.00	9.19	5.49	-0995	120
50	-19.44	6.69	9.79	4.83	-1392	126
51	-19.19	6.05	9.19	5.07	-0859	126
52	-19.95	4.69	9.57	5.92	-0495	124
53	-21.23	3.57	9.50	6.02	-1020	122
54	-23.73	3.48	9.50	6.13	-1917	122
55	-25.04	4.64	10.33	6.01	-2764	116
56	-26.70	3.66	10.54	7.09	-1903	107
57	-28.06	3.30	10.32	8.55	-0105	104
58	-31.10	2.60	9.97	9.90	2120	92
59	-33.04	2.22	11.07	9.71	3032	77
60	-33.44	4.19	11.50	10.70	2326	54
61	-32.86	6.95	14.15	10.44	3749	42
62	-35.12	5.32	13.09	10.29	4007	34
63	-34.41	4.23	13.09	8.54	2650	22
64	-35.00	2.91	13.66	11.32	0191	23
65	-34.17	4.04	14.30	9.84	0365	23
66	-33.87	4.65	13.09	8.16	-3145	23
67	-32.77	5.55	11.66	10.69	-2690	22
68	-28.20	3.05	12.72	12.40	-0462	20
69	-23.05	4.25	7.62	12.02	0405	20
70	-23.01	1.04	10.05	10.00	2555	21
71	-22.29	1.96	13.11	10.29	0731	24
72	-20.74	-.39	16.30	12.92	1042	23
73	-19.17	-6.35	20.74	12.55	-2430	23
74	-20.89	-11.47	20.61	14.10	-2975	19
75	-23.47	-10.41	16.75	12.72	0111	17
76	-24.47	-10.20	17.02	14.66	1303	15
77	-24.69	-9.38	18.07	13.50	2490	13
78	-25.15	-7.69	18.70	13.33	3505	13
79	-25.62	-6.92	19.23	12.29	4570	13
80	-24.69	-5.05	19.01	12.94	4894	12
81	-22.77	-4.38	20.10	12.90	4554	13
82	-19.69	-3.08	19.24	13.35	3942	13
83	-15.15	-1.23	17.36	13.06	2906	13
84	-9.44	.69	14.54	14.92	1965	13
85	-2.00	2.77	15.49	16.10	1190	13
86	7.50	-.03	7.63	14.10	2230	6
87	17.00	1.67	8.54	15.06	3302	6
88	26.25	-1.50	11.50	9.96	2957	4
89	35.25	2.25	13.14	13.03	4661	4
90	43.75	6.75	13.59	13.32	6504	4




Figure 2.5. VAFB bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 2.6. VAFB BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

June

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	2 43	-1 00	2 32	2 37	- 5661	600
1	00	-3 51	4 15	4 34	- 2355	600
2	00	-2 59	4 06	5 16	- 4029	600
3	2 41	-1 41	5 52	6 16	- 3349	600
4	3 90	- 52	6 70	6 94	- 2591	600
5	5 47	- 19	7 56	7 75	- 2119	600
6	6 94	02	0 51	8 90	- 1842	600
7	8 94	21	9 51	10 10	- 1565	600
8	10 15	17	10 03	11 78	- 1110	600
9	11 74	58	11 76	13 39	- 0905	600
10	13 52	94	12 42	14 62	- 0230	600
11	15 45	1 47	12 71	15 14	- 0228	600
12	17 47	2 23	12 00	14 57	- 0656	600
13	17 24	3 04	11 55	13 03	- 0570	600
14	15 31	3 48	9 34	10 69	- 0754	600
15	12 35	3 20	7 48	8 20	- 0104	600
16	8 60	2 46	5 77	6 04	- 0654	600
17	4 77	1 67	4 75	4 51	- 0942	600
18	02	1 15	3 05	3 18	- 1412	600
19	-1 95	59	3 34	2 52	- 1005	600
20	-4 13	25	3 14	2 14	- 0373	600
21	-5 58	05	3 05	2 02	- 0693	600
22	-6 06	- 17	3 04	2 03	- 0372	600
23	-7 92	- 35	3 21	1 91	- 0250	600
24	-8 53	- 30	3 34	1 92	- 0451	600
25	-9 35	- 31	3 57	2 03	- 0514	600
26	-9 00	- 10	3 00	2 16	- 1001	600
27	-10 08	- 20	3 07	2 15	- 0100	600
28	-12 33	74	3 94	1 97	- 0896	102
29	-12 63	72	4 06	1 99	- 0827	103
30	-13 22	04	4 41	2 17	- 1009	107
31	-13 04	94	4 92	2 25	- 0319	100
32	-14 53	1 06	4 05	2 54	- 0879	112
33	-15 34	1 18	5 36	2 50	- 0212	112
34	-16 42	1 56	5 34	2 72	- 1340	111
35	-17 22	1 09	5 55	2 43	- 0078	112
36	-18 52	53	5 59	2 94	- 0780	112
37	-20 52	38	5 53	3 43	- 0225	109
38	-22 29	40	5 20	3 40	- 1294	111
39	-24 33	30	5 39	3 50	- 1211	100
40	-26 17	52	5 79	3 26	- 0166	107
41	-28 10	06	6 76	3 60	- 0204	110
42	-30 14	43	6 34	4 50	- 0959	110
43	-31 95	1 50	6 09	4 93	- 1037	110
44	-33 39	2 90	5 90	4 91	- 1331	107
45	-34 55	3 09	5 04	4 71	- 0945	109
46	-36 17	4 56	6 25	4 89	- 0210	109
47	-37 62	4 72	6 57	4 93	- 0664	110
48	-38 50	4 67	7 27	5 39	- 1109	100
49	-40 21	4 79	7 75	5 77	- 0700	100
50	-41 69	5 26	8 30	6 25	- 0170	100
51	-43 31	6 18	8 04	6 48	- 0350	102
52	-44 00	6 27	8 89	5 89	- 1756	97
53	-45 95	5 70	8 05	5 34	- 0653	93
54	-47 55	4 76	9 67	5 75	- 0757	91
55	-49 28	4 60	9 74	6 25	- 1207	87
56	-51 18	4 92	10 04	5 87	- 0965	84
57	-52 46	3 84	11 24	6 69	- 0096	74
58	-54 06	2 73	11 15	7 32	- 1515	59
59	-55 05	1 78	11 15	7 25	- 0770	45
60	-57 26	49	12 09	8 30	- 2291	35
61	-59 96	92	12 05	10 05	- 0245	24
62	-66 19	2 25	12 30	16 39	- 0577	16
63	-70 00	5 00	13 69	15 50	- 0011	13
64	-67 74	6 40	15 31	10 95	- 4320	10
65	-62 44	10 00	12 03	6 53	- 6307	9
66	-57 67	10 56	6 36	2 22	- 5649	9
67	-51 67	10 22	9 15	7 52	- 0909	9
68	-42 33	13 17	16 67	12 32	- 0043	6
69	-38 00	12 50	10 79	14 06	- 2310	8
70	-37 06	13 43	20 20	13 94	- 0855	7
71	-37 06	12 00	20 06	15 65	- 3715	7
72	-39 00	9 29	20 23	10 99	- 6074	7
73	-39 71	5 71	19 34	20 97	- 5560	7
74	-35 03	8 17	19 70	10 10	- 7246	6
75	-32 03	4 67	17 70	10 14	- 5013	6
76	-29 67	2 50	15 63	17 43	- 4533	6
77	-28 33	50	14 37	16 36	- 4431	6
78	-29 17	-1 00	12 60	14 65	- 5149	6
79	-28 00	-3 40	11 62	14 47	- 6003	5
80	-29 40	-3 60	9 09	12 05	- 6529	5
81	-29 60	-3 20	7 14	11 65	- 7511	5
82	-29 00	-3 00	6 60	10 14	- 7409	5
83	-27 40	-2 00	7 34	8 00	- 6396	5
84	-25 00	- 20	9 44	7 00	- 7236	5
85	-20 60	1 00	10 95	6 60	- 8254	5
86	-22 33	9 33	6 65	47	- 6025	3




Figure 2.6. VAFB bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 2.7. VAFB BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

July

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	2.03	-1.61	1.93	1.82	- .4607	620
1	.25	-1.90	2.54	3.87	- .2064	620
2	-.25	-.16	3.04	3.92	- .1869	620
3	.88	1.60	4.03	4.32	- .1257	620
4	1.76	2.82	4.86	4.66	.0035	620
5	2.26	3.40	5.46	4.83	.0642	620
6	2.90	3.94	6.24	5.29	.0861	620
7	3.83	4.72	6.98	6.08	.0503	620
8	5.03	5.86	7.90	6.95	.0402	620
9	6.17	7.29	8.72	7.80	.0001	620
10	7.28	9.00	9.47	8.60	- .0109	620
11	8.53	10.92	9.98	9.35	- .0191	620
12	9.46	12.23	9.98	9.69	- .0163	620
13	9.65	12.21	9.54	9.29	.0354	620
14	8.59	11.05	8.47	8.28	.1050	620
15	6.15	8.55	7.07	6.18	.1610	620
16	2.64	5.89	5.19	4.63	.1318	620
17	-.71	3.89	3.93	3.57	.2216	620
18	-3.43	2.24	3.29	2.78	.2395	620
19	-5.61	1.43	2.71	2.13	.1653	620
20	-7.34	.85	2.49	1.99	.1657	620
21	-9.10	.44	2.49	1.99	.0821	620
22	-10.66	.10	2.43	1.99	.0760	620
23	-11.96	-.12	2.54	2.00	.0085	620
24	-13.25	-.17	2.61	2.12	.0240	620
25	-14.36	.06	2.76	2.09	.0014	620
26	-15.11	.25	2.88	2.11	.0669	620
27	-15.58	.15	3.03	2.17	.0456	620
28	-19.11	.11	3.38	2.25	- .0097	94
29	-20.29	.04	3.38	2.48	- .0823	97
30	-21.55	.18	3.43	2.39	- .0422	101
31	-22.25	.64	3.55	2.47	- .0375	104
32	-22.84	1.23	3.68	2.70	- .2192	106
33	-23.46	1.57	3.26	2.90	- .0749	106
34	-24.06	1.33	3.48	3.09	- .0253	107
35	-24.90	.79	4.18	3.30	.0198	107
36	-26.35	1.13	4.43	3.44	- .0830	110
37	-27.69	1.11	4.88	3.53	- .1381	108
38	-29.02	1.17	5.07	4.25	- .1775	109
39	-30.62	.49	4.59	3.99	- .0286	107
40	-31.05	.04	4.21	4.44	- .0276	108
41	-35.54	-.23	4.34	5.07	.0997	109
42	-37.88	-.19	4.99	5.29	.1510	107
43	-40.41	.31	5.39	5.54	.1417	109
44	-41.96	2.01	5.52	5.87	.0613	109
45	-43.64	3.27	5.60	5.44	.0489	107
46	-44.57	4.10	6.07	5.20	.1344	108
47	-46.00	4.44	6.75	5.71	.1801	105
48	-47.52	4.45	6.90	6.29	.2254	106
49	-49.40	4.80	6.92	5.90	.1944	107
50	-51.39	5.17	7.59	5.63	.2488	105
51	-53.31	5.58	8.49	6.16	.2050	106
52	-54.01	6.71	8.81	6.67	.2925	100
53	-54.54	7.59	8.93	6.89	.1842	98
54	-54.53	7.49	9.41	7.36	.1331	97
55	-55.53	6.77	9.92	9.20	.2014	91
56	-58.55	4.79	11.25	9.96	.1319	91
57	-60.73	2.68	11.63	11.46	.1282	82
58	-61.06	.53	12.14	12.78	.2108	72
59	-61.69	.70	14.06	13.00	.1816	61
60	-62.30	2.51	16.77	14.48	.0693	47
61	-63.34	4.29	17.03	18.07	.0136	38
62	-64.82	9.15	19.55	11.57	.1036	33
63	-61.93	8.34	20.59	11.08	.0527	29
64	-63.50	7.08	23.47	10.66	.1710	26
65	-61.59	6.41	21.56	13.39	.0952	27
66	-52.89	8.96	20.48	13.47	.1283	27
67	-46.48	10.48	20.58	14.90	.1038	25
68	-40.27	11.82	19.36	15.72	.0554	22
69	-32.54	11.50	19.87	18.69	.2531	24
70	-29.90	12.35	23.40	16.05	.2602	20
71	-28.60	11.05	23.10	16.57	.0236	20
72	-26.47	11.00	23.99	17.53	- .2058	19
73	-24.11	8.89	24.28	20.22	- .4865	19
74	-22.94	7.59	24.42	25.17	- .5938	17
75	-20.00	2.50	23.17	26.61	- .5001	16
76	-20.06	-.13	23.21	28.44	- .4357	16
77	-20.20	-2.33	24.18	29.82	- .3646	15
78	-19.73	-4.47	24.27	29.18	- .2964	15
79	-19.13	-6.13	23.86	28.03	- .2276	15
80	-17.93	-7.20	22.73	26.61	- .1851	15
81	-16.33	-7.89	21.10	24.87	- .1278	15
82	-13.93	-8.13	19.40	23.38	- .0680	15
83	-10.47	-7.87	16.97	22.18	.0175	15
84	5.80	-7.27	15.04	21.31	.1098	15
85	-.07	-6.20	14.07	20.86	.2286	15
86	6.71	7.00	12.58	23.11	.5795	7
87	16.83	14.83	12.35	20.36	.3069	6
88	20.50	22.00	13.61	14.94	.3903	4
89	21.67	25.00	9.98	15.77	.7784	3
90	27.33	25.33	7.41	13.57	.6983	3




Figure 2.7. VAFB bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 2.8. VAFB BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

August

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	2.00	-1.91	2.07	1.85	-0.690	620
1	.46	-2.02	2.60	3.99	-0.2916	620
2	.02	-1.34	3.15	4.19	-0.2076	620
3	1.15	1.23	3.87	4.30	-0.2645	620
4	1.77	2.16	4.59	4.34	-0.1722	620
5	2.50	2.47	5.41	4.76	-0.1032	620
6	3.71	2.80	6.19	5.04	-0.0499	620
7	5.07	3.34	7.50	6.45	-0.147	620
8	6.62	3.99	7.42	7.27	-0.032	620
9	8.20	4.94	8.20	7.89	-0.0305	620
10	9.88	6.16	8.94	8.36	-0.142	620
11	11.34	7.44	9.54	8.97	-0.043	620
12	12.27	8.32	9.68	9.49	-0.044	620
13	12.07	8.58	9.16	8.67	-0.067	620
14	10.59	7.68	7.79	7.66	-0.147	620
15	7.79	6.27	6.40	6.05	-0.235	620
16	4.13	4.48	5.35	4.62	-0.065	620
17	.34	2.92	4.34	3.61	-0.931	620
18	-2.68	1.69	3.59	2.79	-0.720	620
19	-5.02	1.05	3.10	2.29	-0.669	620
20	-7.02	.57	2.82	2.19	-0.997	620
21	-8.50	.36	2.76	1.93	-0.120	620
22	-10.21	.04	2.87	1.50	-0.370	620
23	-11.58	.04	2.89	1.84	-0.706	620
24	-12.61	.08	2.90	2.00	-1.701	620
25	-13.81	.00	2.92	2.00	-1.474	620
26	-14.57	-.06	2.99	1.95	-0.862	620
27	-15.14	-.02	3.10	2.07	-0.372	620
28	-18.73	.15	2.99	2.27	-0.200	74
29	-19.74	.12	3.13	2.56	-0.235	74
30	-21.02	.07	3.64	2.77	-0.908	82
31	-21.25	1.16	3.76	2.83	-0.605	88
32	-20.83	1.63	3.64	2.87	-1.308	90
33	-21.18	1.65	4.24	3.21	-1.649	97
34	-21.60	1.38	5.10	2.66	-1.843	91
35	-22.47	1.04	5.56	2.72	-2.754	90
36	-23.15	.63	5.52	3.12	-0.314	92
37	-24.34	.02	6.12	3.52	-0.364	94
38	-25.67	-.10	6.63	3.96	-0.778	93
39	-26.61	.17	7.77	4.70	-0.272	95
40	-27.20	.06	8.15	4.42	-0.017	96
41	-28.35	.03	7.50	4.48	-0.075	95
42	-30.00	.07	7.44	4.52	-0.172	95
43	-32.32	.19	7.68	4.70	-0.503	96
44	-34.00	.66	7.65	4.49	-0.217	95
45	-35.37	1.51	7.26	5.62	-1.044	98
46	-36.47	1.71	7.85	6.14	-0.497	98
47	-37.15	2.99	9.10	7.64	-0.659	98
48	-37.74	4.17	10.42	7.94	-0.701	98
49	-37.89	5.08	11.31	8.22	-1.606	97
50	-38.05	5.11	10.96	7.32	-2.040	95
51	-37.62	5.71	12.76	7.07	-1.721	95
52	-37.16	5.55	13.59	8.49	-1.428	94
53	-36.64	5.21	13.10	9.51	-1.579	92
54	-36.35	5.58	13.88	9.31	-0.429	92
55	-35.70	5.55	15.83	8.49	-0.897	91
56	-35.60	4.57	18.07	9.17	-0.800	90
57	-36.20	3.88	19.26	10.84	-0.156	91
58	-33.17	3.99	17.10	11.40	-0.551	77
59	-33.10	3.39	17.50	11.83	-0.694	69
60	-31.95	1.54	18.10	12.62	-0.639	57
61	-31.81	-.04	18.16	12.58	-2.043	48
62	-31.50	-.02	19.74	12.29	-4.299	40
63	-28.09	.97	19.75	13.31	-1.136	32
64	-21.32	1.03	19.58	14.58	-1.072	34
65	-16.09	-.35	18.01	16.75	-1.308	34
66	-10.44	-1.31	17.07	19.04	-1.360	32
67	-8.19	-2.71	19.24	18.80	-1.584	31
68	-6.21	-1.57	22.07	18.66	-4.022	20
69	-5.23	-3.23	22.45	13.99	-5.797	30
70	-1.09	-.59	21.62	14.29	-4.398	32
71	2.14	.48	20.35	12.92	-3.405	29
72	4.43	1.57	17.05	13.69	-2.607	28
73	5.52	1.37	14.72	14.46	-3.461	27
74	5.73	1.46	15.45	14.13	-3.891	26
75	5.17	-.07	17.58	12.93	-3.320	23
76	7.45	-.50	16.66	12.94	-0.885	20
77	6.65	-1.15	16.91	13.65	-0.130	20
78	5.40	-1.70	16.70	15.03	-0.931	20
79	4.45	-2.69	16.24	17.11	-1.279	20
80	2.89	-1.37	15.49	19.46	-0.773	19
81	2.53	-1.21	15.19	22.00	-0.386	19
82	2.11	-.60	16.11	24.80	-0.273	14
83	2.50	.21	17.76	27.29	-0.572	19
84	4.21	1.79	18.99	30.03	-0.970	19
85	7.47	3.26	18.91	32.50	-1.796	19
86	14.75	6.92	21.44	38.25	-4.198	12
87	29.64	12.18	23.05	35.35	-4.302	11
88	26.87	22.37	29.50	29.71	-5.547	8




Figure 2.8. VAFB bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 2.9. VAFB BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

September

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	1.71	-1.45	2.19	2.17	-5912	600
1	-1.32	-1.34	2.90	4.35	-3405	600
2	-4.08	-2.25	4.06	5.04	-3208	600
3	1.18	3.0	5.39	5.60	-2310	600
4	2.43	45	6.94	6.37	-1256	600
5	3.66	10	7.45	7.14	-6982	600
6	4.01	-25	8.37	8.17	-6190	600
7	6.14	-14	9.40	9.12	-6670	600
8	7.71	-13	10.45	10.32	-1619	600
9	9.35	27	11.66	11.45	-2514	600
10	11.37	49	12.82	12.25	-3247	600
11	12.63	1.29	13.57	12.86	-3833	600
12	15.50	2.03	13.20	12.30	-3721	600
13	16.15	2.50	12.30	11.26	-3442	600
14	15.62	2.24	10.01	9.51	-2902	600
15	12.20	1.59	8.22	7.01	-2510	600
16	8.93	1.01	7.15	6.02	-2304	600
17	5.19	25	5.75	4.61	-1666	600
18	2.04	-23	4.00	3.47	-1132	600
19	-1.11	-41	4.23	2.82	-1320	600
20	-1.60	-49	3.92	2.37	-6757	600
21	-2.86	-37	3.84	2.33	-6791	600
22	-3.91	-48	3.50	2.11	-1565	600
23	-4.04	-34	3.93	2.12	-1601	600
24	-5.50	-22	4.25	2.17	-6451	600
25	-6.07	-11	4.24	2.19	-6983	600
26	-6.56	-05	4.45	2.18	-1929	600
27	-6.02	-03	4.94	2.10	-6696	600
28	-10.11	-11	5.03	2.00	-1365	61
29	-10.11	12	5.10	2.10	-1293	92
30	-10.04	39	5.03	2.57	-6201	85
31	-9.81	91	5.30	2.84	-1028	90
32	-9.32	1.31	5.71	2.97	-1507	90
33	-8.00	1.04	5.96	3.03	-6969	90
34	-7.59	2.35	5.91	3.16	-1446	91
35	-6.50	1.75	6.13	3.33	-1053	91
36	-6.10	05	6.60	3.22	-1595	92
37	-6.95	13	6.75	3.38	-6100	92
38	-7.12	-34	7.21	4.10	-6390	91
39	-7.60	-1.07	7.56	4.79	-6054	92
40	-8.77	-00	8.14	3.89	-6422	92
41	-9.27	-00	7.79	4.43	-1303	92
42	-10.20	42	8.07	5.30	-6002	92
43	-11.01	1.16	8.25	4.94	-1165	92
44	-10.80	1.69	8.40	6.37	-6334	90
45	-10.46	1.04	9.24	6.03	-6556	91
46	-10.43	2.38	10.47	5.52	-6067	92
47	-9.70	2.64	11.14	5.59	-6135	90
48	-8.67	2.00	10.85	5.69	-1214	89
49	-8.52	3.16	10.50	5.64	-1419	89
50	-7.51	3.95	10.91	7.01	-6479	91
51	-6.75	5.09	12.04	6.45	-6397	88
52	-5.59	4.53	12.11	6.31	-6116	86
53	-4.47	5.05	11.91	6.61	-6246	85
54	-2.77	6.35	12.41	5.09	-1700	84
55	2.0	6.65	11.03	7.36	-3988	81
56	2.25	5.01	10.01	7.16	-2070	77
57	2.99	3.23	10.63	6.95	-6356	71
58	3.26	1.79	12.01	8.24	-6716	66
59	3.52	2.05	13.30	8.35	-6654	56
60	3.06	2.15	13.26	7.62	-1610	48
61	2.73	2.24	12.50	8.97	-2434	37
62	5.40	4.44	11.02	5.86	-2111	25
63	6.92	5.16	11.13	7.65	-1901	25
64	9.00	5.60	11.32	8.70	-6092	25
65	10.76	5.56	12.21	9.27	-2409	25
66	12.26	5.22	11.73	9.53	-3705	23
67	13.17	5.21	10.24	8.00	-1750	24
68	13.14	4.76	10.40	9.45	-6042	21
69	14.39	4.22	10.77	10.29	-2402	23
70	16.91	7.3	12.66	11.69	-2014	22
71	17.70	-3.35	15.71	12.86	-1400	23
72	19.50	-6.11	19.27	15.11	-1640	19
73	21.06	-9.22	17.43	15.02	-2578	18
74	17.12	-11.80	16.30	13.59	-3444	17
75	13.15	-9.62	10.60	13.01	-6059	13
76	6.15	-7.69	10.27	14.00	-1594	13
77	2.00	-4.83	9.05	15.55	-1217	12
78	-1.00	-2.75	10.70	16.74	-3121	12
79	-3.83	-17	12.25	17.99	-3442	12
80	-5.75	2.17	14.20	18.74	-3256	12
81	-6.50	4.67	16.29	19.15	-2657	12
82	-6.50	7.33	17.47	18.97	-1750	12
83	-7.44	13.27	16.42	15.12	-4207	11
84	-4.10	16.27	16.60	12.87	-1675	11
85	91	10.91	16.49	12.75	-2400	11
86	11.00	33.75	24.83	15.42	-9992	4

TABLE 2.10. VAFB BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

October

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	1.22	-1.25	2.53	2.44	-3614	620
1	.67	-1.94	2.98	5.27	-6923	620
2	.54	-1.64	4.49	6.21	-2667	620
3	2.14	-2.02	6.17	7.35	-2152	620
4	3.91	-2.51	7.78	8.72	-6885	620
5	5.60	-2.67	8.92	9.83	-6530	620
6	7.01	-2.71	10.14	11.23	-1045	620
7	8.49	-2.87	11.69	12.74	-1505	620
8	9.88	-2.74	13.01	14.36	-2050	620
9	11.35	-2.69	14.29	15.55	-2673	620
10	12.09	-2.82	15.02	16.26	-3007	620
11	14.94	-2.68	15.18	16.24	-3209	620
12	16.63	-2.55	14.67	15.43	-3216	620
13	16.81	-2.27	12.86	13.41	-2936	620
14	16.02	-1.82	11.22	11.68	-2697	620
15	14.38	-1.55	9.19	9.68	-2588	620
16	11.99	-1.55	7.65	7.80	-1974	620
17	8.97	-1.30	6.21	5.99	-1603	620
18	5.97	-1.25	5.02	4.53	-1535	620
19	3.59	-1.33	4.44	3.54	-2102	620
20	2.21	-1.22	4.27	3.42	-2332	620
21	1.59	-1.21	4.31	3.14	-2035	620
22	1.43	- .96	4.33	2.91	-2176	620
23	1.42	- .77	4.55	2.89	-1465	620
24	1.92	- .66	4.98	2.94	-1258	620
25	2.34	- .45	5.48	2.89	-9966	620
26	3.28	- .21	6.23	3.00	-1811	620
27	4.38	- .15	6.91	3.30	-2076	620
28	4.90	- .29	8.34	3.18	-2193	101
29	6.45	.64	8.78	3.30	-2631	100
30	8.39	.37	9.67	3.69	-4205	100
31	10.40	.99	10.42	3.83	-4604	111
32	12.09	1.82	10.67	4.15	-2867	113
33	13.96	2.42	10.58	4.58	-2895	112
34	15.16	3.18	11.28	5.09	-3134	116
35	17.62	3.62	11.13	5.89	-2075	115
36	19.48	2.94	11.77	5.40	-4170	115
37	21.78	2.67	11.53	5.57	-5098	115
38	23.25	2.26	13.30	5.88	-4757	115
39	24.57	1.59	14.92	6.10	-3425	115
40	26.52	1.15	15.03	5.66	-3147	115
41	27.37	1.00	15.66	5.65	-1700	117
42	28.84	1.12	16.92	5.86	-6311	117
43	30.29	1.02	17.00	6.02	-6337	117
44	31.28	1.79	16.42	6.12	-6258	117
45	32.82	3.10	16.69	7.03	-6203	116
46	35.19	4.10	15.95	7.55	-6037	115
47	37.42	4.96	16.14	7.75	-1256	113
48	39.35	6.10	16.88	8.17	-2181	115
49	41.04	6.99	17.61	8.17	-2723	115
50	41.96	7.63	18.13	8.30	-2142	115
51	43.89	8.26	17.76	8.89	-1288	112
52	45.11	8.43	17.65	8.69	-1989	111
53	46.47	8.55	17.89	8.85	-3120	109
54	47.41	9.08	17.40	8.93	-3906	108
55	48.53	9.55	17.44	8.74	-4572	108
56	49.92	9.51	17.01	8.56	-4832	107
57	50.20	9.64	16.84	9.05	-4835	104
58	49.88	8.73	18.23	9.82	-5244	98
59	49.68	7.90	19.39	11.05	-5716	82
60	52.40	7.97	18.39	11.57	-4355	67
61	52.58	7.34	19.22	9.97	-4906	53
62	52.95	5.14	20.79	11.84	-6645	44
63	50.73	5.42	21.14	11.27	-6057	33
64	52.24	5.79	22.97	12.20	-7066	33
65	51.09	4.22	24.09	12.50	-6201	32
66	49.50	3.34	25.65	12.31	-4627	32
67	46.81	2.09	28.74	12.11	-3111	32
68	44.83	2.07	31.49	12.91	-1044	30
69	39.40	1.77	32.11	14.27	-6579	30
70	40.69	1.45	28.43	14.36	-1200	29
71	39.67	- .27	23.99	15.13	-3723	30
72	36.23	- .83	17.00	16.93	-4019	30
73	33.37	-2.85	15.36	18.76	-4678	27
74	29.13	-5.05	15.68	19.18	-7302	22
75	22.25	-4.40	15.05	20.38	-7489	20
76	14.40	-2.30	13.32	19.83	-6205	20
77	9.20	.15	12.32	19.35	-5045	20
78	4.50	3.50	11.36	19.24	-2345	20
79	.65	6.55	11.27	18.92	-8854	20
80	-1.90	9.25	12.10	17.90	-3140	20
81	-3.95	11.42	13.52	17.05	-4498	19
82	-3.26	14.21	15.06	16.01	-4791	19
83	-1.26	16.63	16.33	15.05	-4605	19
84	2.47	18.21	16.77	14.64	-3807	14
85	7.61	20.22	16.87	14.10	-3247	19
86	12.17	22.17	12.87	11.22	-3515	12
87	26.40	11.40	15.58	9.77	-1364	5
88	27.00	6.06	13.93	14.17	-4511	3




Figure 2.10. VAFB bivariate normal wind statistics, 90 degree flight azimuth.

TABLE 2.11. VAFB BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

November

Alt (km)	\bar{u}	\bar{v}	S(u)	S(v)	R(uv)	N
0	7.6	-1.92	2.69	3.11	-3711	600
1	4.2	-1.19	3.93	6.09	-1256	600
2	2.22	-1.04	5.19	7.90	-6002	600
3	4.00	-1.44	6.09	9.22	-6324	600
4	7.45	-1.43	0.51	10.27	-6537	600
5	9.69	-1.24	10.20	11.68	-1543	600
6	11.05	-1.53	11.60	13.60	-2371	600
7	12.70	-1.65	13.66	15.67	-2947	600
8	15.57	-1.74	14.45	17.61	-3273	600
9	17.27	-1.64	15.71	19.22	-3727	600
10	19.66	-1.77	16.91	20.59	-4074	600
11	20.59	-1.34	17.46	20.66	-4371	600
12	21.74	-1.90	16.96	19.12	-4380	600
13	21.30	-1.41	15.16	16.42	-4344	600
14	19.89	-1.11	12.61	13.56	-4379	600
15	17.41	-1.00	10.42	11.12	-4373	600
16	14.62	-1.30	0.65	9.13	-3863	600
17	12.24	-1.53	7.42	7.26	-3477	600
18	9.12	-1.79	6.47	5.63	-3127	600
19	6.91	-1.65	6.45	4.75	-2838	600
20	5.19	-1.29	6.06	4.14	-2919	600
21	4.37	-1.56	6.10	3.66	-2463	600
22	4.13	-1.79	6.64	3.60	-2456	600
23	4.10	-1.70	7.17	3.45	-2296	600
24	4.70	-1.32	7.94	3.29	-2319	600
25	5.71	-1.90	8.91	3.51	-3116	600
26	6.99	-1.05	10.42	3.54	-3010	600
27	8.57	-1.75	11.45	4.00	-4206	600
28	12.90	-1.46	9.70	3.89	-5593	60
29	14.82	-1.97	10.94	4.61	-6374	66
30	16.22	-1.19	12.95	5.94	-6369	67
31	18.55	-1.48	14.29	5.15	-7102	71
32	20.61	-2.12	15.21	6.42	-6734	72
33	21.93	-2.52	16.20	7.00	-6300	71
34	25.47	-3.07	17.10	7.44	-6000	72
35	27.47	-3.24	16.73	8.15	-5943	74
36	30.22	-3.65	15.71	7.40	-6001	72
37	34.10	-3.61	17.00	7.63	-7755	72
38	36.06	-1.01	11.15	7.21	-7264	72
39	38.57	-1.96	10.29	7.94	-7390	70
40	40.93	-1.20	10.41	8.41	-7525	72
41	41.64	-1.16	10.45	8.20	-7069	70
42	43.63	-1.52	17.03	7.30	-5942	71
43	45.92	-1.00	17.70	8.66	-4311	71
44	48.93	-2.37	17.70	8.51	-3831	70
45	52.16	-3.10	17.70	8.55	-3170	70
46	55.06	-3.43	17.94	9.10	-2969	70
47	57.83	-4.17	18.37	10.30	-2909	71
48	60.55	-6.14	19.12	11.63	-2994	71
49	63.49	-7.17	19.02	13.40	-3050	70
50	67.35	-0.65	21.30	13.63	-3005	60
51	68.12	-0.13	22.20	13.70	-3692	69
52	69.43	-0.76	21.74	15.10	-3545	60
53	70.96	-0.75	21.39	15.42	-3573	60
54	71.85	-0.56	21.76	15.33	-3195	66
55	72.57	-7.06	21.46	14.56	-2302	65
56	72.67	-7.76	22.07	14.47	-1644	64
57	72.95	-6.21	21.30	15.30	-1012	63
58	71.47	-4.30	21.23	16.66	-2306	60
59	68.16	-1.62	22.11	10.01	-3201	60
60	64.81	-1.45	23.67	17.36	-3305	62
61	64.10	-1.55	24.14	16.23	-5622	71
62	65.40	-2.61	27.37	15.45	-6032	25
63	67.70	-5.40	29.00	15.02	-6573	20
64	64.50	-3.01	36.16	12.49	-6749	16
65	67.71	-1.14	29.37	16.07	-9490	14
66	65.47	-2.07	27.06	14.91	-4234	15
67	70.33	-1.33	20.12	14.13	-2904	12
68	64.13	-6.13	20.46	13.70	-4004	15
69	62.27	-6.44	20.97	14.24	-3797	15
70	59.21	-5.79	30.24	16.55	-3900	14
71	53.47	-7.32	39.45	20.00	-4706	15
72	46.64	-6.06	39.13	22.00	-5605	11
73	42.50	-5.33	26.24	20.47	-4003	12
74	47.25	-4.75	24.27	16.11	-3307	0
75	43.00	-5.37	22.01	14.03	-2744	0
76	38.07	-5.63	21.72	13.37	-0321	0
77	34.50	-5.00	21.10	14.49	-2249	0
78	30.37	-4.12	21.30	17.72	-4071	0
79	26.75	-2.07	21.06	21.59	-4460	0
80	23.50	-1.37	23.11	25.54	-3794	0
81	21.00	-1.59	24.63	20.94	-2671	0
82	18.07	-2.37	26.41	31.14	-0910	0
83	17.50	-4.00	27.91	31.95	-0576	0
84	16.37	-5.37	29.09	30.53	-2242	0
85	16.12	-6.62	30.29	20.09	-3264	0
86	31.25	-7.00	15.11	24.49	-5135	4
87	29.00	-5.75	16.20	15.10	-7713	4
88	22.33	-1.31	20.43	11.15	-9011	3




TABLE 2.12. VAFB BIVARIATE NORMAL WIND STATISTICS,
90 DEGREE FLIGHT AZIMUTH

December

Alt (km)	U	V	S(u)	S(v)	R(uv)	N
0	42	-1.19	2.83	3.19	-4912	620
1	1.26	-2.66	4.47	7.29	-5611	620
2	3.84	-3.63	5.89	8.59	-6404	620
3	6.77	-4.34	7.54	9.85	-6973	620
4	9.62	-4.95	9.38	11.60	-1032	620
5	12.03	-5.36	10.96	13.02	-1663	620
6	14.15	-5.89	12.39	14.87	-2362	620
7	16.21	-6.43	14.05	16.83	-3037	620
8	18.23	-6.67	15.60	18.32	-3539	620
9	20.20	-7.09	16.77	19.84	-3781	620
10	22.04	-7.14	17.47	20.94	-4448	620
11	23.47	-6.98	17.82	20.60	-3873	620
12	24.04	-6.00	15.32	18.85	-3530	620
13	23.41	-6.83	13.90	16.23	-3869	620
14	21.80	-3.74	11.78	13.94	-3541	620
15	19.36	-3.13	10.00	11.72	-4016	620
16	16.25	-2.72	8.84	9.77	-4685	620
17	13.07	-2.31	7.83	8.26	-4364	620
18	9.49	-2.23	6.71	6.35	-4716	620
19	6.29	-2.34	6.47	4.95	-4525	620
20	3.93	-2.50	5.97	4.26	-3638	620
21	1.91	-2.66	5.99	3.95	-2496	620
22	.37	-2.53	6.41	3.80	-2832	620
23	.40	-2.48	7.23	3.59	-2116	620
24	-.57	-2.75	7.77	3.50	-1918	620
25	-.84	-2.52	8.43	3.51	-2330	620
26	.56	-2.49	9.59	3.96	-2718	620
27	.38	-2.67	11.70	4.53	-3282	620
28	.17	-3.03	13.45	4.04	-3967	104
29	.13	-3.18	15.22	4.78	-5140	108
30	4.52	-3.20	17.65	5.48	-5903	113
31	6.86	-3.19	18.71	6.40	-6226	111
32	9.51	-2.79	20.17	7.01	-6830	110
33	14.00	-2.26	22.75	7.86	-7448	112
34	18.29	-1.53	24.38	8.75	-7516	113
35	22.04	.89	25.28	9.45	-7375	112
36	26.55	.22	26.22	10.17	-7641	113
37	31.68	.12	27.04	10.67	-7702	112
38	36.15	.63	27.37	11.06	-7547	114
39	39.77	.34	27.19	11.28	-7617	111
40	42.83	.17	27.23	11.77	-7349	114
41	45.87	1.35	27.99	13.06	-6655	110
42	48.88	3.02	28.51	14.11	-5957	110
43	52.18	4.46	29.04	14.46	-5164	111
44	57.08	6.14	28.96	14.90	-4416	112
45	60.79	7.45	28.65	15.63	-3723	110
46	63.97	9.41	28.87	16.39	-3035	111
47	67.35	11.59	28.74	16.41	-3110	113
48	70.04	13.00	28.86	16.97	-2797	112
49	72.05	14.28	28.58	17.59	-2734	109
50	73.92	14.67	29.24	18.60	-2191	106
51	75.08	14.23	29.09	17.95	-1898	108
52	76.38	15.02	29.36	18.91	-1559	108
53	77.19	14.67	29.87	17.75	-1501	106
54	77.14	14.57	29.66	17.38	-1622	106
55	78.67	13.91	29.99	16.80	-1698	103
56	78.75	11.93	30.38	18.05	-9278	99
57	78.57	10.00	29.99	19.65	-9012	93
58	78.51	12.66	30.49	21.88	-1326	89
59	79.89	12.51	31.18	23.15	-1744	75
60	76.98	10.59	34.74	23.43	-2544	54
61	75.62	5.53	34.24	24.43	-1737	32
62	66.76	3.38	33.96	22.77	-5731	21
63	69.73	6.53	33.16	18.59	-2412	15
64	69.94	7.09	29.87	15.68	-4678	16
65	66.17	8.40	28.03	17.35	-7231	15
66	64.20	7.73	28.53	18.78	-5116	15
67	63.17	5.75	31.49	15.96	-7011	12
68	60.85	4.92	32.18	18.40	-3654	13
69	61.93	.30	32.38	17.72	-3567	14
70	60.92	2.00	34.46	13.97	-6552	12
71	57.08	1.38	32.15	20.62	-9138	13
72	53.92	.46	30.98	22.33	-4664	13
73	56.09	4.91	28.16	23.85	-2784	11
74	54.73	7.09	24.92	24.54	-2137	11
75	54.20	9.80	22.30	26.40	-2352	10
76	51.80	10.10	18.37	25.87	-3741	10
77	49.60	9.20	15.42	25.25	-5487	10
78	47.00	7.50	14.23	24.24	-6515	10
79	44.10	5.90	15.29	22.78	-5755	10
80	41.30	2.70	18.23	21.28	-3401	10
81	38.30	-.26	21.45	20.40	-9525	10
82	34.90	-3.50	24.28	20.59	-2082	10
83	33.56	-4.00	27.42	22.22	-5057	9
84	29.89	-7.78	28.92	26.07	-5441	9
85	26.67	-11.44	28.56	29.41	-5107	9
86	15.33	-26.67	33.48	36.75	-5011	3



REFERENCES


1. Falls, L. W.: Normal Probabilities For Cape Kennedy Wind Components - Monthly Reference Periods For All Flight Azimuths - Altitudes 0 to 70 Kilometers. NASA TMX-64771, April 16, 1973.
2. Falls, L. W.: Normal Probabilities for Vandenberg AFB Wind Components - Monthly Reference Periods For All Flight Azimuths, 0- to 70-km Altitudes. NASA TMX-64897, January 1975.
3. Smith, O. F.: Vector Wind And Vector Wind Shear Models 0 to 27 km Altitude For Cape Kennedy, Florida, And Vandenberg AFB, California. NASA TMX-73319, July 1976.
4. Falls, L. W. and Crutcher, H. L.: Determination of Statistics For Any Rotation of Axes of a Bivariate Normal Elliptical Distribution. NASA TMX-64595, May 11, 1971.
5. Mitchell, L. V.: Variability of the Monthly Mean Zonal Wind, 30-60 km. AWS-TR-195, USAF-ETAC(MAC), April 1970.
6. Theon, J. S., Smith, W. S., Casey, J. F., and Kirkwood, B. R.: The Mean Observed Meteorological Structure and Circulation of the Stratosphere and Mesosphere. NASA TR R-375, March 1972.
7. Turner, R. E., Johnson, D. L., and Gilchrist, L. P.: High Altitude Meteorological Rocket Wind Measuring Systems and Results Taken at Cape Kennedy, Florida. NASA TMX-64578, March 30, 1971.
8. Johnson, D. L. and Brown, S. C.: Ground Winds and Winds Aloft for Edwards AFB, California (1978 Revision). NASA TM-78160, March 1978.

APPROVAL


SURFACE TO 90 km WINDS FOR KENNEDY SPACE CENTER, FLORIDA, AND VANDENBERG AFB, CALIFORNIA

By D. L. Johnson and S. C. Brown


The information in this report has been reviewed for technical content. Review of any information concerning Department of Defense or nuclear energy activities or programs has been made by the MSFC Security Classification Officer. This report, in its entirety, has been determined to be unclassified.



ROBERT E. TURNER
Chief, Environmental Applications Branch



WILLIAM W. VAUGHAN
Chief, Atmospheric Sciences Division



CHARLES A. LUNDQUIST
Director, Space Sciences Laboratory